## For Research Use Only

## ABCG5 Polyclonal antibody

Catalog Number: 27722-1-AP 35 Publications



**Basic Information** 

Catalog Number: GenBank Accession Number:

 27722-1-AP
 NM\_022436

 Size:
 GeneID (NCBI):

 150ul , Concentration: 850 ug/ml by
 64240

Nanodrop; UNIPROT ID:
Source: Q9H222
Rabbit Full Name:

Isotype: ATP-binding cassette, sub-family G

IgG (WHITE), member 5
Immunogen Catalog Number: Calculated MW:
AG26844 72 kDa

Observed MW: 68 kDa~72 kDa

**Applications** 

Tested Applications: WB, IHC, ELISA

Cited Applications:

WB, IHC

Species Specificity: Human, mouse, rat Cited Species: human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

**Positive Controls:** 

WB: Caco-2 cells, HepG2 cells, mouse colon tissue,

**Purification Method:** 

WB 1:500-1:1000

IHC 1:50-1:500

Antigen affinity purification

Recommended Dilutions:

mouse liver tissue, rat liver tissue

IHC: human liver tissue.

## **Notable Publications**

Author	Pubmed ID	Journal	Application
Yunying Huang	34579033	Nutrients	WB
Feng Zhao	34803510	Int J Biol Sci	WB
Yunxia Yang	31679333	J Agric Food Chem	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.


Storage Buffer

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


## **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 27722-1-AP (ABCG5 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human liver tissue slide using 27722-1-AP (ABCG5 antibody) at dilution of 1:200 (under 10x lens).



Immunohistochemical analysis of paraffinembedded human liver tissue slide using 27722-1-AP (ABCG5 antibody) at dilution of 1:200 (under 40x lens).



Various lysates were subjected to SDS PAGE followed by western blot with 27722-1-AP (ABCG5 antibody) at dilution of 1:800 incubated at room temperature for 1.5 hours.