For Research Use Only

NLRP7 Polyclonal antibody

Catalog Number: 27897-1-AP



Purification Method:

WB 1:500-1:1000

IHC 1:50-1:500

Positive Controls:

WB: K-562 cells, THP-1 cells

IHC: human spleen tissue,

Antigen affinity purification

Recommended Dilutions:

Basic Information

Catalog Number: GenBank Accession Number:

27897-1-AP BC109125 GeneID (NCBI): Size: 150ul , Concentration: 400 ug/ml by 199713

Nanodrop: **UNIPROT ID:** Q8WX94 Rabbit Full Name:

Isotype: NLR family, pyrin domain containing

IgG

Immunogen Catalog Number: Calculated MW:

112 kDa, 115 kDa, 118 kDa AG27465

> Observed MW: 112 kDa

Applications

Tested Applications:

WB, IHC, ELISA Species Specificity:

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

NLRP7, also called NALP7 or PYPAF3, is a member of the NOD-like receptors (NLR), a family of proteins that plays a crucial role in the innate immune response. NLRP7 has been reported to emerge from NLRP2 gene. Similar to all inflammasomes, NLRP7 contributes to both pro- and an anti-inflammatory processes, depending on whether it functions in an inflammasome-dependent or independent pathway. The function of NLRP7 inflammasome has also $been \ reported \ to \ depend \ on \ the \ master \ regulatory \ transcription \ factor \ protein \ that \ controls \ cellular \ inflammation,$ $the \ NF-kB. \ In \ addition \ to \ its \ pro-and \ anti-inflammatory \ actions, \ NLRP7 \ plays \ a \ role \ in \ restricting \ intracellular \ anti-inflammatory \ actions, \ NLRP7 \ plays \ a \ role \ in \ restricting \ intracellular \ anti-inflammatory \ actions \ action$ $bacterial\ replication\ and\ can also\ induce\ inflammasome\ assembly\ upon\ specific\ stimulation\ by\ FSL-1\ (diacylated\ properties))$ lipoprotein).

Storage

Store at -20°C. Stable for one year after shipment.


PBS with 0.02% sodium azide and 50% glycerol pH 7.3. Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

in USA), or 1(312) 455-8498 (outside USA)

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 27897-1-AP (NLRP7 antibody) at dilution of 1:600 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human spleen tissue slide using 27897-1-AP (NLRP7 antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).

Immunohistochemical analysis of paraffinembedded human spleen tissue slide using 27897-1-AP (NLRP7 antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).