For Research Use Only

ANK3 Polyclonal antibody

Catalog Number: 27980-1-AP 1 Publications



Basic Information

Catalog Number: GenBank Accession Number:

150ul , Concentration: 800 ug/ml by
Nanodrop and 400 ug/ml by Bradford
method using BSA as the standard;
Q12955

Source: Full Name:

Rabbit ankyrin 3, node of Ranvier (ankyrin G)

Isotype: Calculated MW:
IgG 480 kDa
Immunogen Catalog Number: Observed MW:
AG27635 160 kDa, 204 kDa

Applications

Tested Applications:

WB, IHC, IF/ICC, ELISA

Cited Applications:

WB

Species Specificity: Human, Mouse, Rat Cited Species:

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: mouse brain tissue, rat brain tissue

IHC: human breast cancer tissue, mouse brain tissue

Purification Method:

WB 1:500-1:2000

IF/ICC 1:200-1:800

IHC 1:50-1:500

Antigen affinity purification

Recommended Dilutions:

IF/ICC: PC-3 cells,

Background Information

ANK3 is associated with neurodevelopment and neuronal function. It has been reported that ANK3 plays a key role in bipolar disorder. ANK3 is expressed in brain at a high level. There are several isoforms of ANK3 associated with different tissue expression and function. The immune region we selected can recognize 480 kDa, 204 kDa, 202 kDa and 111 kDa protein and 27980-1-AP detects 204 kDa isoform in SDS-PAGE. (PMID: 27217151, 28687526, 30297702, 28109561, 30046097)

Notable Publications

Author Pubmed ID Journal Application
Chuanqing Jing 38035073 Front Immunol WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 27980-1-AP (ANK3 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 27980-1-AP (ANK3 antibody) at dilution of 1:200 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed PC-3 cells using ANK3 antibody (27980-1-AP) at dilution of 1:400 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).