

For Research Use Only

SPOCK1 Polyclonal antibody

Catalog Number: 28203-1-AP

1 Publications



Basic Information

Catalog Number:

28203-1-AP

Size:

150ul , Concentration: 600 ug/ml by Nanodrop;

Source:

Rabbit

Isotype:

IgG

Immunogen Catalog Number:

AG28213

GenBank Accession Number:

BC030691

GeneID (NCBI):

6695

UNIPROT ID:

Q08629

Full Name:

sparc/osteonectin, cwcv and kazal-like domains proteoglycan (testican)
1

Calculated MW:

439 aa, 49 kDa

Observed MW:

49 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:1000-1:6000

IHC 1:400-1:1600

Applications

Tested Applications:

WB, IHC, ELISA

Cited Applications:

WB, IHC

Species Specificity:

Human

Cited Species:

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : HeLa cells, PC-3 cells, DU 145 cells

IHC : human prostate cancer tissue,

Notable Publications

Author	Pubmed ID	Journal	Application
Yicong Yao	39328548	Heliyon	WB,IHC

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 28203-1-AP (SPOCK1 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.

Immunohistochemical analysis of paraffin-embedded human prostate cancer tissue slide using 28203-1-AP (SPOCK1 antibody) at dilution of 1:800 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).

Immunohistochemical analysis of paraffin-embedded human prostate cancer tissue slide using 28203-1-AP (SPOCK1 antibody) at dilution of 1:800 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).