

For Research Use Only

BZRAP1 Polyclonal antibody

Catalog Number: 28241-1-AP



Basic Information

Catalog Number: 28241-1-AP	GenBank Accession Number: BC146852	Purification Method: Antigen affinity purification
Size: 150ul , Concentration: 600 ug/ml by Nanodrop and 400 ug/ml by Bradford method using BSA as the standard;	GeneID (NCBI): 9256	Recommended Dilutions: WB 1:200-1:1000
Source: Rabbit	UNIPROT ID: O95153	
Isotype: IgG	Full Name: benzodiazapine receptor (peripheral) associated protein 1	
Immunogen Catalog Number: AG28198	Calculated MW: 1857 aa, 200 kDa	
	Observed MW: 200-235 kDa	

Applications

Tested Applications: WB, ELISA	Positive Controls: WB : Neuro-2a cells,
Species Specificity: Human, mouse	

Background Information

BZRAP1, also named as TSPOAP1 and PBR-associated protein 1 (PRAX-1), is a cytoplasmic protein of 1857 residues. It plays a key role in inflammation, neuroinflammation, mental and metabolic diseases, and cancer. BZRAP1 predominantly expressed in the central nervous system, pituitary gland, and thymus, specially abundant in the CA1 subfield of the hippocampus. Tumor necrosis factor receptor 1 (TNFR1), vascular cell adhesion molecule 1 (VCAM1), cyclic AMP response element-binding protein 1 (CREB1), T-cell receptor (TCR), nucleotide-binding oligomerization domain, leucine-rich repeat and pyrin domain containing 3 (NLRP3), DNA-dependent protein kinase (DNA-PK or PRKDC), and mitochondrial permeability transition pore (mPTP) were the major interaction partners of BZRAP1 (PMID: 34212002).

Storage


Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Neuro-2a cells were subjected to SDS PAGE followed by western blot with 28241-1-AP (BZRAP1 antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.