For Research Use Only

## KLHL32 Polyclonal antibody Catalog Number: 28621-1-AP




Basic Information	Catalog Number: 28621-1-AP	GenBank Accession Number: BC071627	Purification Method: Antigen affinity purification
	Size: 150ul, Concentration: 900 µg/ml by Nanodrop; Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG29003	GenelD (NCBI):	Recommended Dilutions: WB 1:200-1:1000 IF/ICC 1:50-1:500
Applications	Tested Applications: WB, IF/ICC, ELISA Species Specificity: human	Positive Controls: WB : HEK-293T cells, HeLa cells, HepG2 cells, PC-3 cells IF/ICC : U2OS cells,	
Background Information	KLHL32 (Kelch-like protein 32), also known BKLHD5, which is located in the cytoplasm. The expression level is high in the central nervous system, especially in astrocytes. In addition, it is also expressed in the motor cilia of fallopian tube. But the overall expression abundance is low. KLHL32 is mainly involved in the intracellular ubiquitination process. Ubiquitin is an important cellular regulatory mechanism, through which protein can be labeled to degrade or change its function. KLHL32 interacts with other protein through its BTB domain and Kelch repeat domain to help regulate this process. It is also a prognostic marker in glioblastoma and renal clear cell carcinoma. The molecular weight of KLHL32 is 70 kDa.		
Storage	Storage: Store at -20°C. Stable for one year aft Storage Buffer: PBS with 0.02% sodium azide and 50		
*** 20ul sizes contain 0.1% BSA	Aliquoting is unnecessary for -20 $^{\circ}$ C s	torage	

For technical support and original validation data for this product please contact: T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free E: proteintech@ptglab.com in USA), or 1(312) 455-8498 (outside USA) W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data

Various lysates were subjected to SDS PAGE followed by western blot with 28621-1-AP (KLHL32 antibody) at dilution of 1:300 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed U2OS cells using KLHL32 antibody (28621-1-AP) at dilution of 1:200 and CoraLite®594-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-4), CL488-Phalloidin (red).