For Research Use Only

## Phospho-FOXO3A (Ser315) Polyclonal antibody

proteintech®
Antibodies | ELISA kits | Proteins
www.ptglab.com

Catalog Number: 28755-1-AP

11 Publications

**Basic Information** 

Catalog Number:

28755-1-AP

Size:

100ul , Concentration: 550 ug/ml by

Nanodrop:

Source: Rabbit Isotype:

IgG

2309 UNIPROT ID: 043524

BC021224

GeneID (NCBI):

GenBank Accession Number:

Full Name: forkhead box O3 Calculated MW: 673 aa, 71 kDa

Observed MW: 80-90 kDa

**Applications** 

**Tested Applications:** 

WB, ELISA

**Cited Applications:** 

WB. IHC

Species Specificity: human, mouse, rat Cited Species: human, mouse, rat Antigen affinity purification Recommended Dilutions:

WB 1:500-1:2000

**Purification Method:** 

**Positive Controls:** 

WB: Calyculin A treated PC-3 cells, HeLa cells, PC-3 cells, TGF beta 1 treated HeLa cells, Forskolin treated

PC-3 cells

## **Background Information**

In mammalian cells, FoxO factors act as potent transcriptional activators that upregulate the expression of programs of genes involved in stress resistance, cell cycle arrest, differentiation, apoptosis, autophagy, and metabolism. FOXO3 has a key role in the maintenance of adult neural and hematopoietic stem cells. It also associates with extreme longevity in humans and regulates the homeostasis of adult stem cell pools in mammals, which may contribute to longevity. Phosphorylation inhibits FOXO3 nuclear translocation that is essential for its regulation and function. The calculated molecular weight of FOXO3 is 71 kDa,but some experiments analysis using a FOXO3a specific antibody showed the expression of a 90 kDa full length FOXO3a protein (Full) and a 40 kDa processed FOXO3a product (Short). 90 kDa FOXO3a protein is a phosphorylated via activation of P13K (phosphatidylinositol 3-kinase) and Akt after INS stimulation, and translocate from the nucleus to the cytoplasm. (PMID: 19427386). IKBKE directly activates Akt and that Akt inhibits FOXO3a by phosphorylation of Ser32, Ser253 and Ser315.

## Notable Publications

Author	Pubmed ID	Journal	Application
Jing Zhang	34655600	Exp Cell Res	
Xiu Cheng	39755092	Ecotoxicol Environ Saf	WB
Yanjun Dan	39169669	Pigment Cell Melanoma Res	WB

Storage

Storage

Store at -20°C. Stable for one year after shipment.

Storage Buffer

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage


\*\*\* 20ul sizes contain 0.1% BSA

For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



Non-treated PC-3 and Calyculin A treated PC-3 cells were subjected to SDS PAGE followed by western blot with 28755-1-AP (Phospho-FOXO3A (Ser315) antibody) at dilution of 1:1000 incubated at 4°C overnight. The membrane was stripped and re-blotted with GAPDH antibody as loading control.