For Research Use Only

Phospho-ASK1 (Ser966) Polyclonal antibody

Catalog Number:28846-1-AP

15 Publications




Basic Information	Catalog Number: 28846-1-AP	GenBank Accession No BC054503		fication Method: gen affinity purification					
	Size: 100ul , Concentration: 300 ug/ml by Nanodrop; Source: Rabbit Isotype: IgG	GeneID (NCBI):Recommended Dilutions:4217WB 1:500-1:1000UNIPROT ID:99683Q99683Full Name:mitogen-activated protein kinasekinase kinase 5Calculated MW:155 kDa							
					Observed MW: 120 kDa				
					Applications	Tested Applications:	Tested Applications:Positive Controls:WB, ELISAWB : λ phosphatase treated NIH/3T3 cells,Cited Applications:WB		
						Cited Applications:			
						Species Specificity: Human, Mouse			
		Cited Species: human, mouse, rat							
Background Informatior	ASK1(Apoptosis signal-regulating kinase 1) is also named as MAP3K5, MAPKKK5, MEKK5 and belongs to the MAP kinase kinase kinase subfamily. It is an evolutionarily conserved mitogen activated protein 3-kinase that activates both Jnk and p38 mitogen-activated protein kinases. ASK1 is is activated in response to various cytotoxic stresses including TNF, Fas and reactive oxygen species (ROS) such as H2O2, and activates c-Jun NH 2-terminal kinase (JNK and p38. The predicted MW of ASK1 is around 155 kDa and the 110-120 kDa fragment has also been reported.								
Notable Publications	Author Pub	omed ID Journa		Application					
		09912 Aging	(Albany NY)						
	Xiao-Lin Jiang 363	109912 A6m6		WB					
			indocrinol (Lausanne						
	Xiao-Lin Jiang 364	65612 Front I	-						
Storage	Xiao-Lin Jiang 364	.65612 Front F 193438 Saudi ter shipment.	ndocrinol (Lausanne) WB					

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Non-treated NIH/3T3, phosphatase inhibitor treated and λ phosphatase treated NIH/3T3 cells were subjected to SDS PAGE followed by western blot with 28846-1-AP (Phospho-ASK1 (Ser966) antibody) at dilution of 1:500 incubated at 4°C overnight.