For Research Use Only

CORO2A Polyclonal antibody

Catalog Number:28883-1-AP

Featured Product





Basic Information	Catalog Number: 28883-1-AP	GenBank Accession Number: BC000010	Purification Method: Antigen affinity purification
	Size: 150ul , Concentration: 700 ug/ml by Nanodrop; Source: Rabbit Isotype: IgG Immunogen Catalog Number: AG29696	GeneID (NCBI): 7464 UNIPROT ID: Q92828 Full Name: coronin, actin binding protein, Calculated MW: 60 kDa Observed MW: 48 kDa	Recommended Dilutions: WB 1:500-1:2000 IHC 1:50-1:500
Applications	Tested Applications: WB, IHC, ELISA Species Specificity: Human, mouse	Positive Controls: WB : Jurkat cells, Raji cells IHC : human skin cancer tissue, mouse small intestine	
	tissue Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0		
Background Information	CORO2A (Coronin 2A), also named as CLIPINB, is a member of the 'short' coronin subfamily containing a single WD40-repeat domain. It has been shown that the expression of CORO2A is up-regulated in human colon cancer. CORO2A can interact with MAPK14 and PRMT5. The calculated MW of CORO2A is 60 kDa, while 28883-1-AP antibody detects 48 kDa protein which is similar to the paper published. (PMID: 26373535)		
Storage	Storage: Store at -20°C. Stable for one year aft Storage Buffer: PBS with 0.02% sodium azide and 50	% glycerol pH 7.3.	
*** 20ul sizes contain 0.1% BSA	Aliquoting is unnecessary for -20 $^{\circ}$ C s	torage	


For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free
in USA), or 1(312) 455-8498 (outside USA)E: proteintech@ptglab.comW: ptglab.comW: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data







Various lysates were subjected to SDS PAGE followed by western blot with 28883-1-AP (CORO2A antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours. Immunohistochemical analysis of paraffinembedded human skin cancer tissue slide using 28883-1-AP (CORO 2A antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). WB result of CORO2A antibody (28883-1-AP; 1:4000; incubated at room temperature for 1.5 hours) with sh-Control and sh-CORO2A transfected Jurkat cells.