For Research Use Only

STK11/LKB1 Polyclonal antibody

Catalog Number: 29323-1-AP

Featured Product



Basic Information

Catalog Number: GenBank Accession Number: 29323-1-AP BC007981

GeneID (NCBI):

150ul, Concentration: 450 µg/ml by 6794 Nanodrop;

Source: serine/threonine kinase 11

Rabbit Calculated MW: Isotype: 49 kDa IgG Observed MW: Immunogen Catalog Number: 50-55 kDa

AG30903

Positive Controls:

WB: A431 cells, MCF-7 cells, HEK-293T cells

IHC: human lung cancer tissue, human breast cancer tissue, mouse testis tissue, human lymphoma tissue

Purification Method:

IHC 1:300-1:1200

Antigen affinity purification

Recommended Dilutions: WB 1:2000-1:10000

Applications

Tested Applications: IHC, WB, ELISA

Species Specificity: Human, Mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

STK11(serine/threonine-protein kinase 11) is also named as LKB1, PJS, and belongs to the protein kinase superfamily. It controls the activity of AMP-activated protein kinase (AMPK) family members, thereby playing a role in various processes such as cell metabolism, cell polarity, apoptosis and DNA damage response. The tumour suppressor protein LKB1 is a serine/threonine kinase that has been causally linked to Peutz-Jeghers syndrome (PJS). Defects in STK11 are a cause of Peutz-Jeghers syndrome (PJS) and defects in STK11 have been associated with $testicular germ cell \ tumor \ (TGCT) \ and \ some \ sporadic \ cancers, especially \ lung \ cancers. \ STK11 \ has \ 2 \ isoforms \ with \ some \ sporadic \ cancers, especially \ lung \ cancers. \ STK11 \ has \ 2 \ isoforms \ with \ some \ sporadic \ cancers, especially \ lung \ cancers.$ MW of 49 kDa and 45 kDa, and can be detected as 50-54 kDa after posttranslational modification.

Storage

Store at -20°C. Stable for one year after shipment.

Storage Buffer

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 29323-1-AP (STK11 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



WB result of STK11/LKB1 antibody (29323-1-AP; 1:8000; incubated at room temperature for 1.5 hours) with sh-Control and sh-STK11/LKB1 transfected MCF-7 cells.



WB result of STK11/LKB1 antibody (29323-1-AP; 1:8000; incubated at room temperature for 1.5 hours) with sh-Control and sh-STK11/LKB1 transfected A431 cells.



Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 29323-1-AP (STK11/LKB1 antibody) at dilution of 1:600 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).