

For Research Use Only

MCP-1/CCL2 Polyclonal antibody

Catalog Number: 29547-1-AP

1 Publications



Basic Information

Catalog Number:

29547-1-AP

Size:

150ul, Concentration: 800 ug/ml by Nanodrop;

Source:

Rabbit

Isotype:

IgG

GenBank Accession Number:

BC009716

GeneID (NCBI):

6347

UNIPROT ID:

P13500

Full Name:

chemokine (C-C motif) ligand 2

Calculated MW:

99 aa, 11 kDa

Observed MW:

11 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:1000-1:4000

Applications

Tested Applications:

WB, ELISA

Cited Applications:

WB

Species Specificity:

human

Positive Controls:

WB : PMA, LPS and Brefeldin A treated THP-1 cells,

Background Information

MCP-1, (also named as CCL2) is a member of the chemokine family. MCP-1 recruits monocytes, memory T cells, and dendritic cells to the sites of inflammation produced by either tissue injury or infection. MCP-1 has been implicated in the pathogenesis of diseases characterized by monocytic infiltrates, like psoriasis, rheumatoid arthritis and atherosclerosis. It binds to chemokine receptors CCR2 and CCR4. Elevated expression of MCP-1 is associated with severe acute respiratory syndrome coronavirus 2 infection.

Notable Publications

Author	Pubmed ID	Journal	Application
Dongdong Jia	38679399	J Ethnopharmacol	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Non-treated, and PMA, LPS and Brefeldin A treated THP-1 cells were subjected to SDS PAGE followed by western blot with 29547-1-AP (MCP1 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.