

For Research Use Only

MGC33407/ACTL9 Polyclonal antibody



Catalog Number: 29885-1-AP

Basic Information

Catalog Number: 29885-1-AP	GenBank Accession Number: BC024028	Purification Method: Antigen affinity purification
Size: 150ul , Concentration: 450 µg/ml by Nanodrop;	GeneID (NCBI): 284382	Recommended Dilutions: WB 1:500-1:2000 IHC 1:50-1:500 IF 1:50-1:500
Source: Rabbit	Full Name: hypothetical protein MGC33407	
Isotype: IgG	Observed MW: 45 kDa	
Immunogen Catalog Number: AG31805		

Applications

Tested Applications: IF, IHC, WB, ELISA	Positive Controls: WB : mouse skeletal muscle tissue, rat skeletal muscle IHC : human liver tissue, mouse testis tissue IF : mouse testis tissue,
Species Specificity: human, mouse, rat	
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0	

Background Information

ACTL9 (Actin Like 9), also named MGC33407, encodes a testis-specific actin-like protein that plays a role in fusion of proacrosomal vesicles and perinuclear theca formation (PMID: 33626338). ACTL9 protein contains 416 amino acids, which mainly localizes in the equatorial segment of human sperm head (PubMed: 33626338). Diseases associated with ACTL9 include spermatogenic failure and non-syndromic male infertility.

Storage


Storage:
Store at -20°C.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 29885-1-AP (MGC33407/ACTL9 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffin-embedded human liver tissue slide using 29885-1-AP (MGC33407/ACTL9 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffin-embedded human liver tissue slide using 29885-1-AP (MGC33407/ACTL9 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunofluorescent analysis of (4% PFA) fixed mouse testis tissue using MGC33407/ACTL9 antibody (29885-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



Immunofluorescent analysis of (4% PFA) fixed mouse testis tissue using MGC33407/ACTL9 antibody (29885-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).



Immunohistochemical analysis of paraffin-embedded mouse testis tissue slide using 29885-1-AP (MGC33407/ACTL9 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded mouse testis tissue slide using 29885-1-AP (MGC33407/ACTL9 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).