

For Research Use Only

CUL2 Polyclonal antibody

Catalog Number: 30071-1-AP



Basic Information

Catalog Number: 30071-1-AP	GenBank Accession Number: BC009591	Purification Method: Antigen affinity purification
Size: 150ul , Concentration: 260 µg/ml by Nanodrop;	GeneID (NCBI): 8453	Recommended Dilutions: WB 1:200-1:1000
Source: Rabbit	Full Name: cullin 2	
Isotype: IgG	Calculated MW: 87 kDa	
Immunogen Catalog Number: AG32331	Observed MW: 80-87 kDa	

Applications

Tested Applications: WB, ELISA	Positive Controls: WB : PC-3 cells, Raji cells, NIH/3T3 cells
Species Specificity: Human, mouse	

Background Information

The cullin family proteins are scaffold proteins for the Ring finger type E3 ligases, participating in the proteolysis through the ubiquitin-proteasome pathway. Humans express seven cullin proteins: CUL1-3, CUL4A, CUL4B, CUL5, and CUL7. Each cullin protein can form an E3 ligase similar to the prototype Ring-type E3 ligase Skp1-CUL1-F-box complex. The Cullin-RING-finger type E3 ligases are important regulators in early embryonic development, as highlighted by genetic studies demonstrating that knock-out of CUL1, CUL3, or CUL4A in mice results in early embryonic lethality.

Storage


Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA) E: proteintech@ptglab.com W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



WB result of CUL2 antibody (30071-1-AP; 1:400; incubated at room temperature for 1.5 hours) with sh-Control and sh-CUL2 transfected PC-3 cells.



Various lysates were subjected to SDS PAGE followed by western blot with 30071-1-AP (CUL2 antibody) at dilution of 1:400 incubated at room temperature for 1.5 hours.