

For Research Use Only

# CD59 Polyclonal antibody

Catalog Number: 30223-1-AP



## Basic Information

<b>Catalog Number:</b> 30223-1-AP	<b>GenBank Accession Number:</b> BC001506	<b>Purification Method:</b> Antigen affinity purification
<b>Size:</b> 150ul , Concentration: 550 µg/ml by Nanodrop;	<b>GeneID (NCBI):</b> 966	<b>Recommended Dilutions:</b> WB 1:1000-1:8000 IHC 1:500-1:2000 IF 1:200-1:800
<b>Source:</b> Rabbit	<b>Full Name:</b> CD59 molecule, complement regulatory protein	
<b>Isotype:</b> IgG	<b>Calculated MW:</b> 19 kDa	
<b>Immunogen Catalog Number:</b> AG32557	<b>Observed MW:</b> 18-20 kDa	

## Applications

**Tested Applications:**  
FC, IF, IHC, WB, ELISA

**Species Specificity:**  
Human

**Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0**

**Positive Controls:**

**WB :** BxPC-3 cells, HT-1080 cells, HT-29 cells, HUVEC cells, HeLa cells, U-87 MG cells

**IHC :** human placenta tissue,

**IF :** BxPC-3 cells,

## Background Information

CD59, also named as MIC11, MIN1, MIN2, MIN3, MSK21, MIRL, MACIF, HRF20 and 1F5 antigen, is a cell surface molecule glycoprotein with MW 18-25 kDa. It acts as a determinant of proximal-distal cell identity. CD59 acts by binding to the C8 and/or C9 complements of the assembling membrane attack complex (MAC), thereby preventing incorporation of the multiple copies of C9 required for complete formation of the osmolytic pore. It is involved in signal transduction for T-cell activation complexed to a protein tyrosine kinase.

## Storage

**Storage:**

Store at -20°C. Stable for one year after shipment.

**Storage Buffer:**

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com  
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 30223-1-AP (CD59 antibody) at dilution of 1:4000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffin-embedded human placenta tissue slide using 30223-1-AP (CD59 antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human placenta tissue slide using 30223-1-AP (CD59 antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



$1 \times 10^6$  Jurkat cells were intracellularly stained with 0.4  $\mu$ g Anti-Human CD59 (30223-1-AP) and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) at dilution 1:1000 (red), or 0.4  $\mu$ g Control Antibody. Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C).



Immunofluorescent analysis of (-20°C Ethanol) fixed BxPC-3 cells using CD59 antibody (30223-1-AP) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).