For Research Use Only

ATG12 Polyclonal antibody

Catalog Number: 30505-1-AP



Purification Method:

WB 1:5000-1:50000 IF/ICC 1:50-1:500

Antigen affinity purification

Recommended Dilutions:

Basic Information

Catalog Number: GenBank Accession Number:

30505-1-AP BC012266 GeneID (NCBI): Size: 150ul, Concentration: 300 ug/ml by 9140

Nanodrop; **UNIPROT ID:** 094817 Rabbit Full Name:

Isotype: ATG12 autophagy related 12 homolog

IgG (S. cerevisiae) Immunogen Catalog Number: Calculated MW: AG32268 15 kDa

> Observed MW: 20 kDa, 50-60 kDa

Applications

Tested Applications:

WB, IF/ICC, ELISA WB: HeLa cells, COLO 320 cells, NIH/3T3 cells, PC-3

Positive Controls:

Species Specificity: cells

human, mouse IF/ICC: PC-3 cells,

Background Information

ATG12, also named as APG12 and APG12L, belongs to the ATG12 family. It is required for autophagy. Free ATG12 is 15kd or 8kd. Conjugated to ATG5, ATG12-ATG5 show 48-55kd.

Storage

Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 30505-1-AP (ATG12 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.



Various lysates were subjected to SDS PAGE followed by western blot with 30505-1-AP (ATG12 antibody) at dilution of 1:15000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed PC-3 cells using ATG12 antibody (30505-1-AP) at dilution of 1:200 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).