For Research Use Only

CD71 Polyclonal antibody

Catalog Number: 30574-1-AP



Basic Information

Catalog Number: 30574-1-AP

GenBank Accession Number:

GeneID (NCBI):

Size: 150ul , Concentration: 260 ug/ml by

ENSEMBL Gene ID:

Nanodrop; Source:

ENSG00000072274

Full Name: Rabbit transferrin receptor (p90, CD71)

Isotype: Calculated MW: IgG

85 kDa

Observed MW: 80-90 kDa

Purification Method:

Antigen affinity purification

Recommended Dilutions: WB 1:2000-1:12000

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC 1:500-1:2000 IF/ICC 1:50-1:500

Applications

Tested Applications:

WB, IHC, IF/ICC, IP, ELISA

Species Specificity:

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: HEK-293 cells, HeLa cells, Jurkat cells, K-562 cells,

Raji cells

IP: HeLa cells,

IHC: human placenta tissue, IF/ICC: MCF-7 cells, HeLa cells

Background Information

CD71, also known as transferrin receptor protein 1 (TfR1), is a transmembrane glycoprotein composed of two disulfide-linked monomers, each of 90 kDa molecular weight. Each monomer binds one holo-transferrin molecule creating an iron-Tf-TfR complex that enters the cell by endocytosis. CD71 is present on actively proliferating cells and is essential for iron transport into proliferating cells.

Storage

Store at -20°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 30574-1-AP (CD71 antibody) at dilution of 1:6000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human placenta tissue slide using 30574-1-AP (CD71 antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded human placenta tissue slide using 30574-1-AP (CD71 antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



IP result of anti-CD71 (IP:30574-1-AP, 4ug; Detection:30574-1-AP 1:10000) with HeLa cells lysate 1320 ug.



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using CD71 antibody (30574-1-AP) at dilution of 1:400 and Multi-rAb CoraLite ® Plus 488-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) (RGAR002), CL594-phalloidin (red).



Immunofluorescent analysis of (-20°C Methanol) fixed MCF-7 cells using CD71 antibody (30574-1-AP) at dilution of 1:200 and Multi-rAb Coralite ® Plus 488-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) (RGAR002).