For Research Use Only

N-cadherin Polyclonal antibody

Catalog Number: 30803-1-AP



Basic Information

Catalog Number: GenBank Accession Number:

30803-1-AP NM 001792.4 GeneID (NCBI): 150ul, Concentration: 240 µg/ml by 1000

Source: cadherin 2, type 1, N-cadherin

Rabbit (neuronal) Isotype: Calculated MW: 100 kDa IgG Observed MW:

130 kDa

Applications

Tested Applications:

IF, IHC, WB, ELISA

Species Specificity: Human, Mouse, Rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: HeLa cells, rat brain tissue, PC-3 cells, C2C12 cells

Purification Method:

WB 1:2000-1:16000 IHC 1:200-1:800 IF 1:200-1:800

Antigen affinity purification

Recommended Dilutions:

IHC: mouse heart tissue, IF: C2C12 cells,

Background Information

 $Cadherins\ are\ a\ family\ of\ transmembrane\ glycoproteins\ that\ mediate\ calcium-dependent\ cell-cell\ adhesion\ and$ play an important role in the maintenance of normal tissue architecture. N-cadherin (neural cadherin), also known as CDH2 (cadherin 2), is a 130-kDa transmembrane protein and a classical member of the cadherin superfamily which also include E-, P-, R-, and B-cadherins. Expression of N-cadherin has been reported on various cell types $including \ neurons, endothelial\ cells\ and\ cardiac\ myocytes\ (PMID:\ 11282032;\ 9508779;\ 8125202).\ N-cadherin\ has$ functions in early brain morphogenesis, synaptogenesis and synaptic plasticity (PMID: 23321619).

Storage

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 30803-1-AP (N-cadherin antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse heart tissue slide using 30803-1-AP (N-cadherin antibody) at dilution of 1:400 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse heart tissue slide using 30803-1-AP (N-cadherin antibody) at dilution of 1:400 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed C2C12 cells using N-cadherin antibody (30803-1-AP) at dilution of 1:400 and Coralite®488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).