

For Research Use Only

# OLFML1 Polyclonal antibody

Catalog Number: 31165-1-AP



## Basic Information

<b>Catalog Number:</b> 31165-1-AP	<b>GenBank Accession Number:</b> BC092488	<b>Purification Method:</b> Antigen affinity Purification
<b>Size:</b> 150ul , Concentration: 550 ug/ml by Nanodrop;	<b>GeneID (NCBI):</b> 283298	<b>Recommended Dilutions:</b> WB 1:2000-1:16000
<b>Source:</b> Rabbit	<b>UNIPROT ID:</b> Q6UWY5	
<b>Isotype:</b> IgG	<b>Full Name:</b> olfactomedin-like 1	
<b>Immunogen Catalog Number:</b> AG35125	<b>Calculated MW:</b> 402 aa, 46 kDa	
	<b>Observed MW:</b> 60 kDa	

## Applications

<b>Tested Applications:</b> WB, ELISA	<b>Positive Controls:</b> WB : HuH-7 cells, U-251 cells, mouse testis tissue, rat testis tissue
<b>Species Specificity:</b> human, mouse, rat	

## Background Information

OLFML1 (Olfactomedin-like protein 1) is a novel member of human OLF protein family with an olfactamine domain (143-397 aa) in its C-terminus. OLFML1 exhibits the promotion of cell proliferation, along with the increase of percentage of S phase cells. OLFML1 is considered a secreted glycoprotein that enhances cell cycle progression in human cancer cell lines in vitro (PMID: 30266405). OLFML1 contains three potential N-glycosylation sites (residues 66, 138 and 183) and could be modified by the N-glycosylation (PMID: 18708057).

## Storage


**Storage:**  
Store at -20°C. Stable for one year after shipment.  
**Storage Buffer:**  
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.  
Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA

For technical support and original validation data for this product please contact:  
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)  
E: [proteintech@ptglab.com](mailto:proteintech@ptglab.com)  
W: [ptglab.com](http://ptglab.com)

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 31165-1-AP (OLFML1 antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.