

For Research Use Only

CCDC76 Polyclonal antibody

Catalog Number: 31484-1-AP



Basic Information

Catalog Number: 31484-1-AP	GenBank Accession Number: BC075811	Purification Method: Antigen affinity Purification
Size: 150ul , Concentration: 750 ug/ml by Nanodrop;	GeneID (NCBI): 54482	Recommended Dilutions: WB 1:500-1:2000 IHC 1:50-1:500 IF/ICC 1:200-1:800
Source: Rabbit	UNIPROT ID: Q9NUP7	
Isotype: IgG	Full Name: coiled-coil domain containing 76	
Immunogen Catalog Number: AG34110	Observed MW: 54 kDa	

Applications

Tested Applications: WB, IHC, IF/ICC, ELISA	Positive Controls:
Species Specificity: human, mouse	WB : HEK-293 cells, K-562 cells, LNCaP cells
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0	IHC : human placenta tissue, mouse testis tissue
	IF/ICC : HeLa cells,

Background Information

CCDC76 (coiled-coil domain-containing protein 76), also known as the human tRNA Nm4 methyltransferase (hTrmt13) is an uncharacterized human protein containing 481 amino acid residues that shares 27% sequence similarity with yeast Trm13p. The expression of CCDC76 was significantly associated with patient survival in breast carcinoma and liver and renal cancer patients (PMID: 34850409).

Storage


Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 31484-1-AP (CCDC76 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human placenta tissue slide using 31484-1-AP (CCDC76 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded mouse testis tissue slide using 31484-1-AP (CCDC76 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using CCDC76 antibody (31484-1-AP) at dilution of 1:400 and CoraLite® 594-Conjugated Goat Anti-Rabbit IgG(H+L) (SA00013-4), CL488-Phalloidin (green).