For Research Use Only

DRAM Polyclonal antibody

Catalog Number: 31777-1-AP



Purification Method:

WB 1:500-1:3000

Antigen affinity Purification

Recommended Dilutions:

Basic Information

Catalog Number:

BC018435

GeneID (NCBI): Size: 150ul , Concentration: 550 ug/ml by

Nanodrop: **UNIPROT ID:**

Q8N682 Rabbit Full Name:

Isotype: damage-regulated autophagy

IgG modulator Immunogen Catalog Number: Calculated MW: AG33711 26 kDa

> Observed MW: 33 kDa

GenBank Accession Number:

Applications

Tested Applications:

WB, ELISA

31777-1-AP

Species Specificity:

human

Positive Controls:

WB: HCT 116 cells, HeLa cells, HepG2 cells

Background Information

Damage-regulated autophagy modulator (DRAM) is a lysosomal membrane protein of autophagy that enriches in lung tissue and plays a central role in p53/TP53-mediated apoptosis (PMID: 16839881), which increased autophagy flux by promoting lysosomal acidification and protease activation (PMID: 23696801). It has 238 amino acids and six hydrophobic transmembrane regions. Reports show DRAM to be downregulated in squamous cancers, indicating a selective pressure to lose DRAM during tumor development (PMID: 17102582). Overexpression of DRAM1 can promote mitophagy and enhance mitochondrial function (PMID: 31204316).

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 31777-1-AP (DRAM antibody) at dilution of 1:1500 incubated at room temperature for 1.5 hours.