For Research Use Only

CD64 Polyclonal antibody

Catalog Number:32060-1-AP



Basic Information

Catalog Number: GenBank Accession Number:

32060-1-AP NM 010186.5 GeneID (NCBI): Size:

150ul, Concentration: 450 ug/ml by 14129

Nanodrop; **UNIPROT ID:** Source: P26151 Rabbit Full Name:

Isotype: Fc receptor, IgG, high affinity I

IgG Calculated MW:

45 kDa Observed MW: 70 kDa

Purification Method: Antigen affinity Purification Recommended Dilutions: WB 1:500-1:3000

Applications

Tested Applications:

WB, ELISA

Species Specificity:

mouse

Positive Controls:

WB: J774A.1 cells, RAW 264.7 cells

Background Information

Fcy receptor comprise a multigene family of integral membrane glycoproteins that exhibit complex activation or inhibitory effects on cell functions after aggregation by complexed immunoglobulin G (IgG) (PMID: 17005690). CD64, also known as Fcy RIA, is a high affinity receptor for the Fc region of IgG. It is expressed by monocytes/macrophages, activated neutrophils, dendritic cells, and early myeloid cells (PMID: 23293080; 19642859; 7680917). CD64 functions in both innate and adaptive immune responses. The calculated molecular weight of CD64 is 43 kDa, while the glycosylated CD64 has a higher apparent molecular weight.

Storage


Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 32060-1-AP (CD64 antibody) at dilution of 1:1500 incubated at room temperature for 1.5 hours.