For Research Use Only

JAM3 Polyclonal antibody

Catalog Number: 32424-1-AP



Purification Method:

WB: 1:5000-1:50000 IHC: 1:300-1:1200

Antigen affinity Purification

Recommended Dilutions:

Basic Information

Applications

Catalog Number: GenBank Accession Number:

32424-1-AP NM_032801.4 GeneID (NCBI): Size: 150ul , Concentration: 650 ug/ml by 83700

Nanodrop: **UNIPROT ID:** Q9BX67 Rabbit Full Name:

Isotype: junctional adhesion molecule 3

IgG Calculated MW: Immunogen Catalog Number: 35 kDa 310aa AG35750 Observed MW: 35 kDa

Tested Applications: Positive Controls:

WB, IHC, ELISA WB: A375 cells, Jurkat cells, SH-SY5Y cells, SK-N-SH Species Specificity:

IHC: mouse testis tissue,

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

human

buffer pH 6.0

Background Information

Junctional adhesion molecule 3 (JAM3) is a type I transmembrane glycoprotein containing two Ig-like domains, which is expressed in various tissues and plays a crucial role in cell junctions, cell polarity, and motility (PMID: 34292449; 28931565). It has been proposed that JAM3 participates in leukocyte-platelet interactions, as well as angiogenesis and brain development (PMID: 12208882; 23255084). JAM3 may also be a new marker for predicting the prognosis and immune functions of bladder cancer patients (PMID: 38400838).

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol, pH7.3


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com

Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 32424-1-AP (JAM3 antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse testis tissue slide using 32424-1-AP (JAM3 antibody) at dilution of 1:600 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).