For Research Use Only

Syntaxin 2 Polyclonal antibody

Catalog Number: 55033-1-AP

Featured Product

5 Publications



Purification Method:

WB 1:500-1:1000

IF/ICC 1:50-1:500

Antigen affinity purification

Recommended Dilutions:

Basic Information

Catalog Number:

55033-1-AP

GenBank Accession Number:

NM 001980

GeneID (NCBI):

Size: 150ul, Concentration: 1000 ug/ml by 2054

Nanodrop and 593 ug/ml by Bradford UNIPROT ID:

P32856

method using BSA as the standard; Source: Rabbit

Full Name: syntaxin 2

Isotype: Calculated MW: 33 kDa

Observed MW:

32 kDa

Applications

Tested Applications: WB, IF/ICC, ELISA

Cited Applications:

WB, IF, IHC

Species Specificity: human, mouse

Cited Species: human, rat

Positive Controls:

WB: A431 cells, HeLa cells

IF/ICC: HeLa cells,

Background Information

Syntaxin 2 (STX2), also named as EPIM, STX2A, STX2B and STX2C, belongs to the syntaxin family. It is essential for epithelial morphogenesis. STX2 is a member of the SNARE membrane fusion machinery which localized to the midbody during cytokinesis in rat and canine kidney cell lines. Inhibition of STX2 and Vamp8 function by overexpression of nonmembrane-anchored mutants caused failure of cytokinesis leading to the formation of binucleated cells. Time-lapse microscopy showed that only midbody abscission and not further upstream events, such as furrowing, were affected. The antibody is specific to STX2.

Notable Publications

Author	Pubmed ID	Journal	Application
Yong-Xia Wang	33075373	Life Sci	WB,IHC
Yongxia Wang	29855462	Cell Death Dis	WB,IHC,IF
Sameena Parveen	35762511	J Cell Sci	WB

Storage

Storage:

Store at -20°C.

0.1M NaHCO3, 0.1M glycine, 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA

in USA), or 1(312) 455-8498 (outside USA)

For technical support and original validation data for this product please contact: T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free


E: proteintech@ptglab.com W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



A431 cells were subjected to SDS PAGE followed by western blot with 55033-1-AP (Syntaxin 2 antibody) at dilution of 1:800 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (-20°C Ethanol) fixed Hela cells using 55033-1-AP (Syntaxin 2 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated Goat Anti-Rabbit IgG(H+L).