

For Research Use Only

# PARP2 Polyclonal antibody

Catalog Number: 55149-1-AP **4 Publications**



## Basic Information

<b>Catalog Number:</b> 55149-1-AP	<b>GenBank Accession Number:</b> NM_005484	<b>Purification Method:</b> Antigen affinity purification
<b>Size:</b> 150ul , Concentration: 600 µg/ml by Nanodrop and 327 µg/ml by Bradford method using BSA as the standard;	<b>GeneID (NCBI):</b> 10038	<b>Recommended Dilutions:</b> WB 1:1000-1:3000 IF 1:50-1:500
<b>Source:</b> Rabbit	<b>UNIPROT ID:</b> Q9UGN5	
<b>Isotype:</b> IgG	<b>Full Name:</b> poly (ADP-ribose) polymerase 2	
	<b>Calculated MW:</b> 66 kDa	
	<b>Observed MW:</b> 66 kDa	

## Applications

<b>Tested Applications:</b> WB, IF, ELISA	<b>Positive Controls:</b> WB : HeLa cells, U2OS cells, SH-SY5Y cells IF : U2OS cells,
<b>Cited Applications:</b> WB	
<b>Species Specificity:</b> human	
<b>Cited Species:</b> human, mouse	

## Background Information

PARP2, also named as ADPRT2 and ADPRTL2, is involved in the base excision repair (BER) pathway, by catalyzing the poly(ADP-ribosyl)ation of a limited number of acceptor proteins involved in chromatin architecture and in DNA metabolism. This modification follows DNA damages and appears as an obligatory step in a detection/signaling pathway leading to the repair of DNA strand breaks. This antibody is specific to PARP2 (N-terminal).

## Notable Publications

Author	Pubmed ID	Journal	Application
Xueying Wang	34103682	Oncogene	WB
Chunlan Pu	35430559	Eur J Med Chem	WB
Jiangcheng Shu	38481797	Int J Biol Sci	WB

## Storage


**Storage:**  
Store at -20°C. Stable for one year after shipment.  
**Storage Buffer:**  
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.  
Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:  
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)  
E: proteintech@ptglab.com  
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 55149-1-AP (PARP2 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed U2OS cells using 55149-1-AP (PARP2 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).