For Research Use Only

CPSF7 Polyclonal antibody

Catalog Number:55195-1-AP 5 Publications



Basic Information

Catalog Number: 55195-1-AP

GenBank Accession Number:

Purification Method: Antigen affinity purification

Size:

NM_001136040 GeneID (NCBI):

IgG

Recommended Dilutions:

150ul , Concentration: 600 ug/ml by Nanodrop;

UNIPROT ID: Q8N684

WB 1:1000-1:6000 IHC 1:50-1:500 IF/ICC 1:50-1:500

Source: Rabbit

Full Name:

Isotype: pre-mRNA cleavage factor I, 59 kDa

subunit

79869

Calculated MW:

56 kDa

Observed MW:

52 kDa, 56 kDa

Applications

Tested Applications:

WB, IHC, IF/ICC, ELISA **Cited Applications:**

WB, IF, CoIP

Species Specificity:

human, mouse, rat

Cited Species:

human

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Positive Controls:

WB: HEK-293 cells, HeLa cells, mouse brain tissue

IHC: human gliomas tissue, human skin tissue, human

testis tissue

IF/ICC: A431 cells,

Background Information

CPSF7, also named as CPSF59, belongs to the RRM CPSF6/7 family. It probable component of the cleavage factor Im complex (CFIm) that plays a key role in pre-mRNA 3' processing. CPSF7 binds to cleavage and polyadenylation RNA substrates(PMID: 15489334). This antibody is specific to CPSF7.

Notable Publications

Author	Pubmed ID	Journal	Application
Zhijie Hu	36073763	J Mol Cell Biol	CoIP
Xin Lu	39951376	Cell Rep	WB
Yanqiang Li	38906115	Mol Cell	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



HEK-293 cells were subjected to SDS PAGE followed by western blot with 55195-1-AP (CPSF7 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human gliomas tissue slide using 55195-1-AP (CPSF7 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed A431 cells using CPSF7 antibody (55195-1-AP) at dilution of 1:200 and CoraLite®488-Conjugated Goat Anti-Rabbit IgG(H+L).