# For Research Use Only

# FGFR3 Polyclonal antibody

Catalog Number: 55358-1-AP



**Basic Information** 

Catalog Number: GenBank Accession Number:

55358-1-AP NM 000142 GeneID (NCBI): Size:

150ul, Concentration: 650 ug/ml by Nanodrop: **UNIPROT ID:** Source: P22607 Rabbit Full Name:

Isotype: fibroblast growth factor receptor 3

IgG Calculated MW:

88 kDa

**Applications** 

**Tested Applications:** 

IHC, ELISA Species Specificity:

human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

**Purification Method:** Antigen affinity purification Recommended Dilutions: IHC 1:500-1:2000

#### **Positive Controls:**

IHC: human breast cancer tissue, mouse kidney tissue, rat testis tissue, human lung cancer tissue, human colon cancer tissue

### **Background Information**

Fibroblast growth factors (FGFs) are polypeptide growth factors involved in a variety of activities including mitogenesis, angiogenesis, and wound healing (PMID: 1847508). The human FGF receptor family, a subfamily of receptor tyrosine kinases (RTKs), comprises of four family members-FGFR1, FGFR2, FGFR3, and FGFR4 (PMID: 23900974). Each receptor contains an extracellular domain with either two or three immunoglobulin-like domains, a transmembrane domain, and a cytoplasmic tyrosine kinase domain. FGFR3 binds acidic and basic fibroblast GH and plays a role in bone development and maintenance. Mutations in the FGFR3 gene lead to craniosynostosis and multiple types of skeletal dysplasia. Due to frequent mutations in certain cancers, the FGFR3 gene has also been associated with tumor progression.

# Storage

Storage:

Store at -20°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


## **Selected Validation Data**




Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 55358-1-AP (FGFR3 antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 55358-1-AP (FGFR3 antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 55358-1-AP (FGFR3 antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded rat testis tissue slide using 55358-1-AP (FGFR3 antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse kidney tissue slide using 55358-1-AP (FGFR3 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).