For Research Use Only

GATA6 Polyclonal antibody

Catalog Number: 55435-1-AP

Featured Product

9 Publications



Basic Information

Catalog Number: 55435-1-AP

Size:

Nanodrop:

GenBank Accession Number:

NM 005257

GeneID (NCBI):

150ul , Concentration: 600 ug/ml by

UNIPROT ID:

Source: Q92908 Rabbit Full Name:

Isotype: GATA binding protein 6

IgG Calculated MW:

60 kDa

Observed MW: 60-64 kDa

Applications

Tested Applications:

WB, IHC, FC (Intra), ELISA

Cited Applications:

WB, IHC, IF

Species Specificity:

human, rat

Cited Species:

human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

Purification Method:

Antigen affinity purification

Recommended Dilutions:

WB 1:500-1:2000

IHC 1:50-1:500

Positive Controls:

WB: HeLa cells, BxPC-3 cells, MCF-7 cells

IHC: human colon cancer tissue, rat liver tissue

Background Information

GATA6 is a member of the GATA family of zinc-finger transcriptional regulators, which play crucial roles in the regulation of cell growth, differentiation, survival, and maintenance of body functions. Named after the conserved base sequence (G/A)GATA(A/T), GATA6 features conserved tandem zinc fingers and is essential in coordinating the development and precise gene regulation of diverse tissues, including the heart and gastrointestinal tract. GATA6 recognizes the sequence (A/T/C)GATA(A/T)A and interacts with other transcriptional regulators through its zincfinger domain.

Notable Publications

Author	Pubmed ID	Journal	Application
Zhihua Ren	35609006	Environ Sci Technol	WB
XiaoYun Sun	32714933	Front Cell Dev Biol	WB
Chan Xiang	25667220	FASEB J	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




WB result of GATA6 antibody (55435-1-AP; 1:300; incubated at room temperature for 1.5 hours) with sh-Control and sh-GATA6 transfected MCF-7 cells.



Various lysates were subjected to SDS PAGE followed by western blot with 55435-1-AP (GATA6 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 55435-1-AP (GATA6 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 55435-1-AP (GATA6 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded rat liver tissue slide using 55435-1-AP (GATA6 antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded rat liver tissue slide using 55435-1-AP (GATA6 antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



1X10^6 HuH-7 cells were intracellularly stained with 0.4 ug Anti-Human GATA6 (55435-1-AP) and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) at dilution 1:1000 (red), or 0.4 ug Isotype Control. Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).