## For Research Use Only

## Cyp2c7 Polyclonal antibody

Catalog Number: 55452-1-AP



Purification Method:

IHC 1:50-1:500

**Basic Information** 

Catalog Number: GenBank Accession Number:

55452-1-AP Antigen affinity purification NM 017158 Size: GeneID (NCBI): Recommended Dilutions: WB 1:500-1:1000 150ul, Concentration: 1000 µg/ml by 29298

Nanodrop and 380 µg/ml by Bradford Full Name:

method using BSA as the standard; cytochrome P450, family 2, subfamily

c, polypeptide 7 Rabbit Calculated MW: 56 kDa Isotype: IgG Observed MW:

56 kDa

**Applications** 

**Tested Applications:** Positive Controls: IHC, WB, ELISA WB: rat heart tissue, Species Specificity: IHC: rat liver tissue, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

## **Background Information**

Storage

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


## **Selected Validation Data**



rat heart tissue were subjected to SDS PAGE followed by western blot with 55452-1-AP (Cyp2c7 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded rat liver tissue slide using 55452-1-AP (Cyp2c7 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded rat liver tissue slide using 55452-1-AP (Cyp2c7 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).