#### For Research Use Only

# DGCR8 Monoclonal antibody

Catalog Number:60084-1-lg Featured Product

11 Publications

**UNIPROT ID:** 

Q8WYQ5

Full Name:



**Basic Information** 

Catalog Number: GenBank Accession Number:

60084-1-lg BC009323

GeneID (NCBI): 150ul, Concentration: 1000 ug/ml by 54487

Bradford method using BSA as the

standard;

Source: Mouse

DiGeorge syndrome critical region Isotype: gene 8

IgG2a Calculated MW: 773 aa, 86 kDa Immunogen Catalog Number: AG4871

120 kDa

Observed MW:

**Applications** 

**Tested Applications:** WB, IP, ELISA

**Cited Applications:** WB, IP, RIP

Species Specificity: human, mouse, rat, pig

Cited Species: human, mouse, rat Positive Controls:

WB: HEK-293 cells, HepG2 cells, BxPC-3 cells, RAW 264.7 cells, A431 cells, Jurkat cells, K-562 cells,

**Purification Method:** 

Protein A purification

Recommended Dilutions:

IP 0.5-4.0 ug for 1.0-3.0 mg of total

WB 1:1000-1:6000

protein lysate

CloneNo.:

4D11A3

ROS1728 cells IP: K-562 cells,

### **Background Information**

DGCR8 is a RNA-binding protein that assists the Rnase III enzyme Drosha in the processing of microRNAs (miRNAs), which regulate the expression of a large number of protein-coding genes[PMID: 22580560]. DGCR8, which contains two double-stranded RNA (dsRNA)-binding domains, may be an essential component of the primary miRNAs processing complex, along with Drosha, promoting the processing of primary microRNA to precursor microRNA. It is ubiquitous expressed in human and mouse tissues, and is deleted in DiGeorge syndrome[22323604]. The calculated molecular weight of DGCR8 is 82-86 kDa, but the post-modified DGCR8 is about 120 kDa.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Haidong Xu	34528746	Aging Cell	WB
Hailong Zhang	34518544	Nat Commun	WB
Fangfang Zhang	31813799	Mol Ther	WB,RIP

Storage


Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA

## Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 60084-1-Ig (DGCR8 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



IP result of anti-DGCR8 (IP:60084-1-lg, 5ug; Detection:60084-1-lg 1:500) with K-562 cells lysate 3440ug.