## For Research Use Only

# CD11c Monoclonal antibody

Catalog Number:60258-1-lg 27 Publications



**Basic Information** 

Catalog Number: GenBank Accession Number:

60258-1-lg BC038237 GeneID (NCBI):

150ul, Concentration: 1000 ug/ml by 3687

Nanodrop: ENSEMBL Gene ID: ENSG00000140678 Mouse **UNIPROT ID:** Isotype: P20702 IgG2a Full Name:

Immunogen Catalog Number:

AG11350 component 3 receptor 4 subunit)

Calculated MW: 1169 aa. 129 kDa

Observed MW: 145 kDa

integrin, alpha X (complement

**Applications** 

**Tested Applications:** 

WB, IHC, IF-P, ELISA **Cited Applications:** WB, IHC, IF

Species Specificity:

human

Cited Species: human, pig

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

**Purification Method:** 

Protein A purification

CloneNo.:

2F1C10

Recommended Dilutions:

WB 1:500-1:2000 IHC 1:10000-1:40000 IF-P 1:500-1:2000

Positive Controls:

WB: human spleen tissue, THP-1 cells, HL-60 cells, U-

IHC: human tonsillitis tissue, human lung cancer tissue, human breast cancer tissue, human liver cancer

tissue, human appendicitis tissue

IF-P: human tonsillitis tissue, human appendicitis

## **Background Information**

Integrins are cell adhesion receptors that are heterodimers composed of non-covalently associated  $\alpha$  and  $\beta$  subunits. CD11c/Integrin alpha X is a 145-150 kDa type I transmembrane glycoprotein present on a variety of cells, including monocytes/macrophages, granulocytes, NK cells and dendritic cells. Integrin alpha X/beta 2 acts a receptor for fibrinogen and is important in monocyte adhesion and chemotaxis.

### **Notable Publications**

Author	Pubmed ID	Journal	Application
Nobutaka Hoshino	36273873	J Vet Med Sci	IF
Rodrigo Nalio Ramos	35325594	Cell	IF
Yunge Gao	33771482	Exp Cell Res	IHC,IF

Storage

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


### Selected Validation Data




Untreated and PNGase F-treated lysates of HL-60 cells were subjected to SDS PAGE followed by western blot with 60258-1-Ig (CD11c/Integrin alpha X antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours. PNGase F was obtained from Atagenix (cat.NO. ata808).




human spleen tissue were subjected to SDS PAGE followed by western blot with 60258-1-lg (CD11c/Integrin alpha X Antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 60258-1-Ig (CD11c/Integrin Alpha X antibody) at dilution of 1:20000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 60258-1-Ig (CD11c/Integrin Alpha X antibody) at dilution of 1:20000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed human tonsillitis tissue using CD11c/Integrin Alpha X antibody (60258-1-Ig, Clone: 2F1C10) at dilution of 1:1000 and Coralite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).



Immunofluorescent analysis of (4% PFA) fixed human tonsillitis tissue using CD11c/Integrin Alpha X antibody (60258-1-Ig, Clone: 2F1C10) at dilution of 1:1000 and Coralite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).