For Research Use Only

CD3 Gamma Monoclonal antibody

Catalog Number:60347-1-lg 3 Publications



Purification Method:

WB: 1:5000-1:50000

IHC: 1:50-1:500

Positive Controls:

WB: MOLT-4 cells, Jurkat cells

IHC: human tonsillitis tissue,

Basic Information

Catalog Number: GenBank Accession Number:

60347-1-lg BC113830 Protein A purification GeneID (NCBI): Size: CloneNo.:

150ul, Concentration: 1800 ug/ml by 917 2E9G7 Nanodrop and 1000 ug/ml by Bradford_{UNIPROT ID:} Recommended Dilutions: method using BSA as the standard;

P09693 Source: Full Name:

Mouse CD3g molecule, gamma (CD3-TCR

Isotype: complex) lgG2b Calculated MW: 182 aa, 20 kDa Immunogen Catalog Number: AG15502 Observed MW:

20-25 kDa

Applications

Tested Applications:

WB, IHC, ELISA **Cited Applications:**

IHC, IF

Species Specificity:

human Cited Species:

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Background Information

CD3 is a complex of proteins that directly associates with the T cell receptor (TCR). The TCR/CD3 complex of Tlymphocytes consists of either a TCR alpha/beta or TCR gamma/delta heterodimer coexpressed at the cell surface with the invariant subunits of CD3 labeled gamma, delta, epsilon, zeta, and eta. The TCR recognizes antigens bound to major histocompatibility complex (MHC) molecules. TCR-mediated peptide-MHC recognition is transmitted to the CD3 complex, leading to the intracellular signal transduction. CD3 is considered to be a pan-T cell marker for detection of normal and neoplastic T cells.

Notable Publications

Author	Pubmed ID	Journal	Application
Akira Saito	32794612	Cancer Sci	IHC
Gaku Ota	39086872	J Anus Rectum Colon	IHC
Satomi Shiba	38529589	J Breast Cancer	IF

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact: T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free

in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 60347-1-1g (CD3 Gamma antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 60347-1-Ig (CD3 gamma antibody at dilution of 1:400 (under 10x lens). Heat mediated antigen retrieved with Sodium Citrate buffer (pH 6.0).



Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 60347-1-Ig (CD3 gamma antibody at dilution of 1:400 (under 40x lens). Heat mediated antigen retrieved with Sodium Citrate buffer (pH 6.0).