For Research Use Only

Anti-Human CD18 (TS1/18)

Catalog Number:65190-1-lg



Purification Method:

Protein A purification

Recommended Dilutions:

FC: 0.2 ug per 10^6 cells in 100 μ l

CloneNo.:

suspension

TS1/18

Basic Information

Catalog Number:

65190-1-lg

Size:

100ug , 500 μ g/ml

Source: Mouse

> Isotype: IgG1, kappa

component 3 receptor 3 and 4 subunit)

85 kDa

Applications

Tested Applications:

Species Specificity:

human

GenBank Accession Number:

BC005861 GeneID (NCBI):

3689

ENSEMBL Gene ID: ENSG00000160255

UNIPROT ID: P05107

Full Name: integrin, beta 2 (complement

Calculated MW:

Positive Controls:

FC: human PBMCs,

Background Information

CD18, also known as integrin beta-2, is a transmembrane protein that forms heterodimers with CD11a, CD11b, CD11c, CD11d (PMID: 1968349). CD11a/CD18 (LFA-1) is expressed by all leukocytes, while CD11b/CD18 (Mac-1) and CD11c/CD18 (p150,95) are normally restricted to expression on monocytes, macrophages, polymorphonuclear lymphocytes (PMNs), and natural killer cells (PMID: 1968349; 3109455; 10946284). CD18 plays an important role in mediating cell adhesion during immune response and defects of CD18 cause leukocyte adhesion deficiency (PMID: 3594570).

Storage


Storage:

Store at 2-8°C. Stable for one year after shipment.


Storage Buffer

PBS with 0.09% sodium azide, pH7.3

Selected Validation Data



1X10^6 human PBMCs were surface stained with 0.2 ug Anti-Human CD18 (65190-1-1g, Clone:TS1/18) and CoraLite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L) at dilution 1:1000 (red), or CoraLite® 488-Conjugated Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated.



1X10^6 human PBMCs were surface stained with 0.2 ug Anti-Human CD18 (65190-1-Ig, Clone:TS1/18) and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgC(H+L) at dilution 1:1000, or CoraLite®488-Conjugated Mouse IgC1 Isotype Control. Cells were not fixed. Lymphocytes were gated.