## For Research Use Only

## Anti-Human CD226 (11A8)

Catalog Number: 65247-1-lg



**Basic Information** 

Catalog Number:

65247-1-lg

Size:

100ug , 0.5 mg/ml

Source: Mouse Isotype: IgG1, kappa GenBank Accession Number:

BC074787 GeneID (NCBI):

10666

ENSEMBL Gene ID: ENSG00000150637

UNIPROT ID: Q15762 Full Name:

CD226 molecule Calculated MW: 336 aa, 39 kDa Purification Method: Affinity purification

CloneNo.: 11A8

**Applications** 

Tested Applications:

FC, ELISA

Species Specificity:

Human

## **Background Information**

CD226 (DNAM-1) is a ~65 kDa glycoprotein expressed on the surface of NK cells, platelets, monocytes and a subset of T cells. It is a member of the Ig-superfamily containing 2 Ig-like domains of the V-set. CD226 mediates cellular adhesion of platelets and megakaryocytic cells to vascular endothelial cells. The protein also plays a role in megakaryocytic cell maturation. Interactions of CD226 and its ligands, CD155 and CD112, induce NK and T cell-mediated cytotoxicity and cytokine secretion (PMID: 15039383).

Storage


Storage:

Store at 2-8°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.09% sodium azide.

## **Selected Validation Data**



1X10^6 human PBMCs were surface co-stained with FITC Anti-Human CD3 and 0.2 ug Anti-Human CD226 (65247-1-lg, Clone:11A8) and APC-Goat anti-Mouse IgG at dilution 1:1000. Cells were not fixed. Lymphocytes were gated.



1X10^6 human PBMCs were surface stained with 0.2 ug Anti-Human CD226 (65247-1-lg, Clone:11A8) and APC-Goat anti-Mouse IgG at dilution 1:1000. Cells were not fixed. Lymphocytes were gated.