For Research Use Only

## Anti-Human CD3 (OKT3) Rabbit Recombinant Antibody



**Purification Method:** 

Affinity purification

CloneNo.:

OKT3

Catalog Number: 65504-1-RR

**Basic Information** 

Catalog Number:

65504-1-RR

Size:

100ug , 0.5 mg/ml

Source: Rabbit

Isotype:

GenBank Accession Number:

BC049847 GeneID (NCBI):

ENSEMBL Gene ID: ENSG00000198851

Full Name:

CD3e molecule, epsilon (CD3-TCR

complex) Calculated MW: 207 aa, 23 kDa

**Applications** 

**Tested Applications:** 

Species Specificity:

**Background Information** 

CD3 is a multimeric protein associated with the T-cell receptor (TCR) to form a complex involved in antigen recognition and signal transduction (PMID: 15885124). CD3 is composed of CD3 $\gamma$ ,  $\delta$ ,  $\epsilon$ , and  $\zeta$  chains (PMID: 1826255). It is expressed by thymocytes in a developmentally regulated manner, T cells, and some NK cells (PMID: 3289580). The TCR recognizes antigens bound to major histocompatibility complex (MHC) molecules. TCR-mediated peptide-MHC recognition is transmitted to the CD3 complex, leading to the intracellular signal transduction (PMID: 11985657).

Storage


Storage:

Store at 2-8°C. Stable for one year after shipment.


Storage Buffer

PBS with 0.09% sodium azide.

## **Selected Validation Data**



1X10^6 human PBMCs were surface stained with 0.2 ug Anti-Human CD3 Rabbit Recombinant Antibody (65504-1-RR, Clone:OKT3) or Rabbit IgG control PolyAb, and CoraLite®647-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) at dilution 1:1000. Cells were then stained with CL488 Anti-Human CD45. Cells were not fixed. Lymphocytes were gated.



1X10^6 human PBMCs were surface stained with 0.2 ug Anti-Human CD3 Rabbit Recombinant Antibody (65504-1-RR, Clone:OKT3) or Rabbit IgG control PolyAb, and CoraLite®647-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) at dilution 1:1000. Cells were not fixed. Lymphocytes were gated.