For Research Use Only

IL-4 Monoclonal antibody, PBS Only

Catalog Number: 66142-1-PBS

Featured Product



Basic Information

Catalog Number:

GenBank Accession Number:

Purification Method:

66142-1-PBS

GeneID (NCBI):

Protein A purification

Size:

Source:

3565

CloneNo.: 1G2C5

100ug, Concentration: 1mg/ml by Nanodrop;

P05112 Full Name:

UNIPROT ID:

Mouse Isotype: lgG2a

interleukin 4 Calculated MW:

Immunogen Catalog Number: AG9940

153 aa, 17 kDa Observed MW: 18 kDa

Applications

Tested Applications:

WB, IF, IHC, ELISA

Species Specificity: human, pig

Background Information

IL4 is a cytokine produced by CD4+T cells in response to helminthes and other extracellular parasites. It promotes the proliferation and differentiation of antigen presenting cells. IL4 also plays a pivotal role in antibody isotype switching and stimulates the production of IgE. This cytokine has been applied in the treatment of autoimmune disorder like multiple myeloma, cancer, psoriasis, and arthritis. IL4 has also been extensively applied to inhibit $detrimental\ effect\ of\ Th1.\ It\ may\ promote\ the\ growth\ of\ epithelial\ tumors\ by\ mediating\ increased\ proliferation\ and$ survival.

Storage


Storage:

Store at -80°C. Storage Buffer: PBS Only

Selected Validation Data




Jurkat cells were subjected to SDS PAGE followed by western blot with 66142-1-lg (IL-4 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66142-1-PBS in a different storage buffer formulation.




Immunofluorescent analysis of (4% PFA) fixed human breast cancer tissue using IL-4 antibody (66142-1-Ig, Clone: 1G2C5) at dilution of 1:400 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L). This data was developed using the same antibody clone with 66142-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 66142-1-lg (IL-4 antibody at dilution of 1:50 (under 10x lens). This data was developed using the same antibody clone with 66142-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 66142-1-lg (IL-4 antibody at dilution of 1:50 (under 40x lens). This data was developed using the same antibody clone with 66142-1-PBS in a different storage buffer formulation.



1X10^6 Ramos cells were intracellularly stained with 0.4 ug Anti-Human II-4 (66142-1-Ig, Clone:1G2C5) and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L) at dilution 1:1000 (red), or 0.4 ug Mouse IgG2a Isotype Control (66360-2-Ig, Clone: K11A1B2A2) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C). This data was developed using the same antibody clone with 66142-1-PBS in a different storage buffer