For Research Use Only

## CD13 Monoclonal antibody, PBS Only

Catalog Number: 66211-1-PBS



**Basic Information** 

Catalog Number:

GenBank Accession Number: BC058928

**Purification Method:** 

66211-1-PBS

GeneID (NCBI):

Protein A purification

100ug, Concentration: 1 mg/ml by

CloneNo.: 2D8D11

Nanodrop:

ENSEMBL Gene ID: ENSG00000166825

Mouse Isotype:

**UNIPROT ID:** P15144

IgG2a Immunogen Catalog Number:

Full Name: alanyl (membrane) aminopeptidase

AG5976

Calculated MW:

Observed MW: 150 kDa

110 kDa

**Applications** 

**Tested Applications:** 

WB, IF, FC, IHC, ELISA

Species Specificity:

human, mouse, rat

## **Background Information**

CD13, also named as APN, ANPEP(aminopeptidase N) or PEPN, is belongs to the peptidase M-1 family. CD13 is a heavily glycosylated, ~150-240 kDa, type-II membrane, expressed by most cells of myeloid origin including monocytes, macrophages, granulocytes, and their hematopoietic precursors. It is also abundantly expressed in the brush border of epithelial cells from renal proximal tubules and small intestine, in prostatic epithelial cells, in bile duct canaliculi, in mast cells, and, in some cases, in fibroblasts and smooth muscle cells. CD13 is a multifunctional protein and plays varying roles in cell migration, cell proliferation, cell differentiation and so on. CD13 participates in angiogenesis generating and modulating angiogenic signals, and can be a marker of angiogenic vessels. CD13 is also a pan-myeloid marker, present on mature granulocytes and monocytes. (PMID: 8805662, 10098327, 18603472, 18097955, 17897790, 17888402, 21339174)

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS only

Aliquoting is unnecessary for -20°C storage

## Selected Validation Data




Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 66211-1-1g (CD13 antibody) at dilution of 1:10000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66211-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 66211-1-lg (CD13 antibody) at dilution of 1:10000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66211-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffinembedded human tonsillitis tissue slide using 66211-1-lg (CD13 antibody) at dilution of 1:10000 (under 4x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66211-1-PBS in a different storage buffer formulation.




Immunofluorescent analysis of (4% PFA) fixed human kidney tissue using 66211-1-lg (CD13 antibody) at dilution of 1:100 and Alexa Fluor 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L). This data was developed using the same antibody clone with 66211-1-PBS in a different storage buffer formulation



1X10^6 U-937 cells were stained with 0.2 ug Anti-Human CD13 (66211-1-Ig, Clone:2D8D11) and CoraLite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L) at dilution 1:1000 (green), and 0.2 ug Control Antibody. Cells were fixed with 90% MeOH. This data was developed using the same antibody clone with 66211-1-PBS in a different storage buffer formulation.



U-937 cells were subjected to SDS PAGE followed by western blot with 66211-1-1g (CD13 antibody at dilution of 1:4000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66211-1-PBS in a different storage buffer formulation.



Immunofluorescent analysis of (4% PFA) fixed human kidney tissue using 66211-1-lg (CD13 antibody) at dilution of 1:100 and Alexa Fluor 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L). This data was developed using the same antibody clone with 66211-1-PBS in a different storage buffer formulation.