For Research Use Only

CA9 Monoclonal antibody

Catalog Number:66243-1-lg 7 Publications




Basic Information	Catalog Number: 66243-1-lg	GenBank Accession Nu BC014950	umber:	Purification Method: Protein A purification
	Size:	GenelD (NCBI):		CloneNo.:
	150ul , Concentration: 2900 µg/ml by			1G4G5
	Nanodrop and 1360 µg/ml by Bradford method using BSA as the standard;	UNIPROT ID: Q16790		Recommended Dilutions: WB 1:1000-1:6000
	Source:	Full Name:		IHC 1:20-1:200
	Mouse	carbonic anhydrase IX		
	Isotype: IgG2a	Calculated MW:		
	Immunogen Catalog Number:	459 aa, 50 kDa		
	AG1540	Observed MW: 50 kDa		
Applications	Tested Applications:		Positive Cont	rrols:
Applications	WB, IHC, ELISA		WB: U-87 MG	cells, pig stomach tissue, pig brain tissu
	Cited Applications:			renal cell carcinoma tissue,
	Species Specificity: human, mouse, pig, rabbit			
	Cited Species: human, pig			
	Note-IHC: suggested antigen re			
	TE buffer pH 9.0; (*) Alternativ retrieval may be performed w buffer pH 6.0			
Background Information	retrieval may be performed wa buffer pH 6.0 CA9(Carbonic anhydrase 9) may be in be a novel specific biomarker for a ce	i th citrate nvolved in the control o rvical neoplasia(PMID: r in identifying cervical	18703501).It is dysplasia and	l carcinoma.The protein is present both o
	retrieval may be performed we buffer pH 6.0 CA9(Carbonic anhydrase 9) may be in be a novel specific biomarker for a ce been shown to have diagnostic utility the plasma membrane and in the nucl bands in A549.	i th citrate nvolved in the control o rvical neoplasia(PMID: r in identifying cervical	18703501).It is dysplasia and e molecular.It	s a tumor-associated antigen that has I carcinoma.The protein is present both o
	retrieval may be performed we buffer pH 6.0 CA9(Carbonic anhydrase 9) may be in be a novel specific biomarker for a ce been shown to have diagnostic utility the plasma membrane and in the nucl bands in A549. Author Put	ith citrate nvolved in the control o rvical neoplasia(PMID: r in identifying cervical leus of cells and has the	18703501).It is dysplasia and e molecular.It	s a tumor-associated antigen that has I carcinoma.The protein is present both or was observed the 54KDa and 58 Kda
Background Information	retrieval may be performed we buffer pH 6.0 CA9(Carbonic anhydrase 9) may be in be a novel specific biomarker for a ce been shown to have diagnostic utility the plasma membrane and in the nucl bands in A549. Author Put Shaoquan Zheng 32	ith citrate nvolved in the control o rvical neoplasia(PMID: r in identifying cervical leus of cells and has the pmed ID Journ	18703501).It is dysplasia and e molecular.It	s a tumor-associated antigen that has I carcinoma.The protein is present both of was observed the 54KDa and 58 Kda Application
	retrieval may be performed we buffer pH 6.0CA9(Carbonic anhydrase 9) may be in be a novel specific biomarker for a ce been shown to have diagnostic utility the plasma membrane and in the nucl bands in A549.AuthorPul Shaoquan ZhengShaoquan Zheng329Qiangqiang Liu359	ith citrate nvolved in the control o rvical neoplasia(PMID: r in identifying cervical leus of cells and has the pomed ID Journ 521117 Mol C	18703501).It is dysplasia and e molecular.It nal	s a tumor-associated antigen that has I carcinoma.The protein is present both of was observed the 54KDa and 58 Kda Application IF

For technical support and original validation data for this product please contact:T: 1 (888) 4PTGLAB (1-888-478-4522) (toll freeE: proteintech@ptglab.comin USA), or 1(312) 455-8498 (outside USA)W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data





U-87 MG cells were subjected to SDS PAGE followed by western blot with 66243-1-1g (CA9 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours. Immunohistochemical analysis of paraffinembedded human renal cell carcinoma tissue slide using 66243-1-1g (CA9 Antibody) at dilution of 1:400 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). Immunohistochemical analysis of paraffinembedded human renal cell carcinoma tissue slide using 66243-1-1g (CA9 Antibody) at dilution of 1:400 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).