

For Research Use Only

Annexin V Monoclonal antibody, PBS Only

Catalog Number: 66245-1-PBS

Featured Product



Basic Information

Catalog Number:

66245-1-PBS

Size:

100ug, Concentration: 1mg/ml by Nanodrop;

Source:

Mouse

Isotype:

IgG1

Immunogen Catalog Number:

AG1538

GenBank Accession Number:

BC001429

GeneID (NCBI):

308

UNIPROT ID:

P08758

Full Name:

annexin A5

Calculated MW:

36 kDa

Observed MW:

36 kDa

Purification Method:

Protein G purification

CloneNo.:

1E6A8

Applications

Tested Applications:

WB, IHC, IF/ICC, FC (Intra), Indirect ELISA

Species Specificity:

human, mouse, pig

Background Information

Annexin A5 (ANXA5), is a member of the structurally related family of annexin proteins some of which have been implicated in membrane-related events along exocytotic and endocytotic pathways. Annexin 5 is a phospholipase A2 and protein kinase C inhibitory protein with calcium channel activity and a potential role in cellular signal transduction, inflammation, growth and differentiation. Annexin 5 has also been described as placental anticoagulant protein I, vascular anticoagulant-alpha, endonexin II, lipocortin V, placental protein 4 and anchorin CII.

Storage

Storage:

Store at -80°C.

Storage Buffer:

PBS only, pH7.3


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various cells were subjected to SDS PAGE followed by western blot with 66245-1-Ig (Annexin V antibody) at dilution of 1:13000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66245-1-PBS in a different storage buffer formulation.




Various lysates were subjected to SDS PAGE followed by western blot with 66245-1-Ig (Annexin V antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66245-1-PBS in a different storage buffer formulation.




Mouse brain tissue were subjected to SDS PAGE followed by western blot with 66245-1-Ig (Annexin V antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66245-1-PBS in a different storage buffer formulation.




WB result of Annexin V antibody (66245-1-Ig; 1:10000; incubated at room temperature for 1.5 hours) with sh-Control and sh-Annexin V transfected HeLa cells. This data was developed using the same antibody clone with 66245-1-PBS in a different storage buffer formulation.




Immunofluorescent analysis of (-20°C Methanol) fixed HeLa cells using Annexin V antibody (66245-1-Ig, Clone: 1E6A8) at dilution of 1:800 and Coralite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L). This data was developed using the same antibody clone with 66245-1-PBS in a different storage buffer formulation.




Various lysates were subjected to SDS PAGE followed by western blot with 66245-1-Ig (Annexin V antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66245-1-PBS in a different storage buffer formulation.




Immunohistochemical analysis of paraffin-embedded human malignant melanoma tissue slide using 66245-1-Ig (Annexin V antibody at dilution of 1:200 (under 10x lens). This data was developed using the same antibody clone with 66245-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffin-embedded human malignant melanoma tissue slide using 66245-1-Ig (Annexin V antibody at dilution of 1:200 (under 40x lens). This data was developed using the same antibody clone with 66245-1-PBS in a different storage buffer formulation.



1x10⁶ NIH/3T3 cells were intracellularly stained with 0.25 ug Annexin V Monoclonal antibody (66245-1-Ig, Clone:1E6A8) and Coralite®488-Conjugated Goat Anti-Mouse IgG(H+L) (SA00013-1)(red), or 0.25 ug Mouse IgG1 isotype control Mouse McAb (66360-1-Ig, Clone: 1F8D3) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C). This data was developed using the same antibody clone with 66245-1-PBS in a



1x10⁶ HeLa cells were intracellularly stained with 0.25 ug Annexin V Monoclonal antibody (66245-1-Ig, Clone:1E6A8) and CoraLite®488-Conjugated Goat Anti-Mouse IgG(H+L) (SA00013-1)(red), or 0.25 ug Mouse IgG1 isotype control Mouse McAb (66360-1-Ig, Clone: 1F8D3) (blue). Cells were fixed with 4% PFA and permeabilized with Flow Cytometry Perm Buffer (PF00011-C). This data was developed using the same antibody clone with 66245-1-PBS in a

