For Research Use Only

PHOX2B Monoclonal antibody

Catalog Number:66254-1-lg 2 Publications



Basic Information

Catalog Number: GenBank Accession Number:

66254-1-Ig BC017199
Size: Genel D (NCBI):
150ul , Concentration: 1500 ug/ml by 8929

Nanodrop; UNIPROT ID:
Source: Q99453
Mouse Full Name:

Isotype: paired-like homeobox 2b

IgG2a Calculated MW:
Immunogen Catalog Number: 31 kDa

AG13196 Observed MW:

32-36 kDa

Purification Method: Protein A purification

CloneNo.: 1F5F5

Recommended Dilutions: WB 1:1000-1:5000

IHC 1:20-1:200 IF/ICC 1:200-1:800

Applications

Tested Applications:

WB, IHC, IF/ICC, ELISA

Cited Applications:

IF

Species Specificity: human, mouse Cited Species:

human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

WB: Neuro-2a cells,

IHC: neuroblastoma tissue,

IF/ICC: SH-SY5Y cells, Neuro-2a cells

Background Information

Paired mesoderm homeobox protein 2B (PHOX2B), also named as Neuroblastoma Phox, is a 314 amino acid protein, which contains one homeobox DNA-binding domain and belongs to the paired homeobox family. PHOX2B localizes in the nucleus and is expressed in neuroblastoma, brain and adrenal gland. PHOX2B plays a role in the development of several major noradrenergic neuron populations, including the locus coeruleus. PHOX2B has an association with congenital central hypoventilation syndrome.

Notable Publications

| Author | Pubmed ID | Journal | Application |
|--------------------|-----------|----------------|-------------|
| Yunlong Tao | 37974010 | Nat Biotechnol | IF |
| Ouranio Anastasiou | 32098802 | Sci Signal | IF |

Storage

Storage:

Store at -20°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


Selected Validation Data




Neuro-2a cells were subjected to SDS PAGE followed by western blot with 66254-1-1g (PHOX2B Antibody) at dilution of 1:2500 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded neuroblastoma tissue slide using 66254-1-1g (PHOX2B antibody) at dilution of 1:300 (under 40x lens).



Immunofluorescent analysis of (4% PFA) fixed Neuro-2a cells using PHOX2B antibody (66254-1-lg, Clone: 1F5F5) at dilution of 1:400 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L), CL594-phalloidin (red).



Immunofluorescent analysis of (4% PFA) fixed SH-SY5Y cells using PHOX2B antibody (66254-1-1g, Clone: 1F5F5) at dilution of 1:400 and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L), CL594-phalloidin (red).