## For Research Use Only

## AKAP3 Monoclonal antibody

Catalog Number: 66255-1-Ig



**Basic Information** 

Catalog Number: GenBank Accession Number:

66255-1-lg BC047535 GeneID (NCBI): Size: 150ul , Concentration: 1760 ug/ml by 10566

Bradford method using BSA as the **UNIPROT ID:** standard; 075969 Source: Full Name:

Mouse A kinase (PRKA) anchor protein 3

Isotype: Calculated MW: IgG2a 95 kDa Immunogen Catalog Number: Observed MW: AG4885 100 kDa

**Purification Method:** 

Protein A purification CloneNo.:

3C11H9

Recommended Dilutions: WB 1:1000-1:4000 IHC 1:50-1:500 IF-P 1:200-1:800

**Applications** 

**Tested Applications:** WB, IHC, IF-P, ELISA Species Specificity:

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

human, mouse

Positive Controls:

WB: human testis tissue, IHC: mouse testis tissue, IF-P: mouse testis tissue.

## **Background Information**

AKAP3 is a member of A-kinase anchoring proteins (AKAPs), a family of functionally related proteins that target protein kinase A to discrete locations within the cell. AKAP3 is reported to participate in protein-protein interactions with the R-subunit of the protein kinase A as well as sperm-associated proteins. AKAP3 is expressed in spermatozoa and localized to the acrosomal region of the sperm head as well as the length of the principal piece. It may function as a regulator of motility, capacitation, and the acrosome reaction.

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


in USA), or 1(312) 455-8498 (outside USA)

E: proteintech@ptglab.com W: ptglab.com


## **Selected Validation Data**



Immunohistochemical analysis of paraffinembedded mouse testis tissue slide using 66255-1-Ig (AKAP3 antibody) at dilution of 1:100 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded mouse testis tissue slide using 66255-1-Ig (AKAP3 antibody) at dilution of 1:100 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed mouse testis tissue using AKAP3 antibody (66255-1-lg, Clone: 3C 11H9) at dilution of 1:400 and CoraLite® 488-Conjugated Goat Anti-Mouse IgG(H+L).



human testis tissue were subjected to SDS PAGE followed by western blot with 66255-1-1g (AKAP3 Antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed mouse testis tissue using AKAP3 antibody (66255-1-lg, Clone: 3C 11H9) at dilution of 1:400 and CoraLite® 488-Conjugated Goat Anti-Mouse IgG(H+L).