

For Research Use Only

Phospho-TDP43 (Ser409/410) Monoclonal antibody



Catalog Number: 66318-1-Ig **7 Publications**

Basic Information

Catalog Number: 66318-1-Ig	GenBank Accession Number: NM_007375	Purification Method: Protein A purification
Size: 100ul , Concentration: 2439 µg/ml by Bradford method using BSA as the standard;	GeneID (NCBI): 23435	CloneNo.: 1A2C1
Source: Mouse	Full Name: TAR DNA binding protein	Recommended Dilutions: WB 1:500-1:2000
Isotype: IgG1	Calculated MW: 43 kDa	
	Observed MW: 45-50 kDa, 35 kDa	

Applications

Tested Applications: WB, ELISA	Positive Controls: WB : EA treated HeLa cells, HEK-293 cells, human placenta tissue, Neuro-2a cells, C6 cells
Cited Applications: IF, IHC, WB	
Species Specificity: human, mouse, rat	
Cited Species: human, mouse	

Background Information

The TARDBP gene encodes the TDP-43 protein, initially found to repress HIV-1 transcription by binding TAR DNA. TDP-43 has since been shown to bind RNA as well as DNA, and have multiple functions in transcriptional repression, translational regulation and pre-mRNA splicing. For instance, it is reported to regulate alternate splicing of the CTRF gene. In 2006 Neumann et al. found that hyperphosphorylated, ubiquitinated and/or cleaved forms of TDP-43, collectively known as pathological TDP-43, play a major role in the disease mechanisms of ubiquitin-positive, tau- and alpha-synuclein-negative frontotemporal dementia (FTLD-U) and in amyotrophic lateral sclerosis (ALS). Various forms of TDP-43 exist, including 18-35 kDa of cleaved C-terminal fragments, 45-50 kDa phospho-protein, 55 kDa glycosylated form, 75 kDa hyperphosphorylated form, and 90-300 kDa cross-linked form. (PMID: 17023659, 19823856, 21666678, 22193176). 66318-1-Ig is a phospho-dependent monoclonal antibody specifically recognizing phospho-TDP43 (409/410). It does not react with native TDP-43.

Notable Publications

Author	Pubmed ID	Journal	Application
Sadhana Ravikumar	34689831	Acta Neuropathol Commun	IHC
Yasar Arfat T Kasu	29987190	Mol Cell Biol	WB, IF
David A Hicks	31280399	Neurochem Res	WB


Storage

Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data



Untreated and EA treated HeLa cells were subjected to SDS PAGE followed by western blot with 66318-1-Ig (Phospho-TDP43 (Ser409/410) Antibody) at dilution of 1:850 incubated at room temperature for 1.5 hours.