For Research Use Only

SIX2 Monoclonal antibody

Catalog Number:66347-1-lg 5 Publications



Basic Information

Catalog Number: GenBank Accession Number:

66347-1-lg BC024033 GeneID (NCBI): Size: CloneNo.: 1F9G11

150ul, Concentration: 1600 µg/ml by 10736 Nanodrop and 1000 µg/ml by Bradford_{Full Name}: method using BSA as the standard; SIX homeobox 2

Calculated MW: Mouse 291 aa, 32 kDa Isotype: Observed MW: lgG2b 37 kDa

Immunogen Catalog Number:

AG2124

Purification Method: Protein A purification

IHC 1:50-1:500

Recommended Dilutions: WB 1:1000-1:6000

Applications

Tested Applications:

IHC, WB, ELISA Cited Applications: IF, IHC, WB

Species Specificity:

human, rat, Canine, mouse, pig

Cited Species:

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: pig skeletal muscle tissue, HEK-293 cells, MDCK cells, rat skeletal muscle tissue, NCCIT cells, LO2 cells, mouse skeletal muscle tissue

IHC: mouse embryo tissue,

Background Information

The SIX proteins (sine oculis) are a family of homeodomain transcription factors that share a conserved DNA binding domain. Six members (Six1-Six6) of the Six gene family have been identified in mice and humans. SIX2, containing one homeobox DNA-binding domain, is highly expressed in fetal tissues but expression is limited in adult tissues. SIX2 may be involved in limb tendon and ligament development [PMID:21420949]. It has been previously shown that SIX2 is expressed in developing mesenchymal tissue including head and urogenital system at the time of overt midfacial and renal differentiation[PMID: 22282599].

Notable Publications

Author	Pubmed ID	Journal	Application
Jun Li	36130284	Nucleic Acids Res	IHC
Wen Shi	36057966	Dev Dyn	IHC
Bliss Magella	29183737	Dev Biol	IHC,IF

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


Selected Validation Data



Various cells were subjected to SDS PAGE followed by western blot with 66347-1-1g (SIX2 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



Various tissues were subjected to SDS PAGE followed by western blot with 66347-1-1g (SIX2 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse embryo tissue slide using 66347-1-lg (SIX2 antibody) at dilution of 1:200 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).