

For Research Use Only

Calbindin-D28k Monoclonal antibody

Catalog Number: 66394-1-Ig **12 Publications**



Basic Information

Catalog Number: 66394-1-Ig	GenBank Accession Number: BC006478	Purification Method: Protein A purification
Size: 150ul , Concentration: 1500 ug/ml by Nanodrop;	GeneID (NCBI): 793	CloneNo.: 1F8B9
Source: Mouse	UNIPROT ID: P05937	Recommended Dilutions: WB 1:5000-1:50000 IHC 1:8000-1:32000 IF-P 1:200-1:800 IF-Fro 1:200-1:800
Isotype: IgG1	Full Name: calbindin 1, 28kDa	
Immunogen Catalog Number: AG5861	Calculated MW: 30 kDa	
	Observed MW: 28 kDa	

Applications

Tested Applications: WB, IHC, IF-P, IF-Fro, ELISA	Positive Controls: WB : rabbit brain tissue, PC-12 cells, fetal human brain tissue, rat brain tissue, mouse brain tissue, pig cerebellum tissue, rabbit cerebellum tissue, rat cerebellum tissue, mouse cerebellum tissue IHC : rat cerebellum tissue, human kidney tissue, human small intestine tissue, human brain tissue, mouse kidney tissue, rat kidney tissue IF-P : mouse cerebellum tissue, human kidney tissue, rat cerebellum tissue IF-Fro : mouse cerebellum tissue,
Cited Applications: WB, IHC, IF	
Species Specificity: human, mouse, rat, pig, rabbit	
Cited Species: human, mouse, rat	
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0	

Background Information

Calbindin-D28k is a member of the calcium-binding protein superfamily that includes calmodulin and troponin C. It is a cytosolic calcium binding protein highly expressed in the distal tubule, intestines, central nervous system, primary murine osteoblast cells and in several other organs. It plays an important role in the intracellular calcium homeostasis, its strong buffering capacity prevents cytotoxic effect of high concentration of free calcium in kidney, brain, pancreas, and intestine.

Notable Publications

Author	Pubmed ID	Journal	Application
Chang-Hui Chen	34795559	Front Neurosci	IF
Fei Wang	33762741	Cell Death Differ	IF
Marianna Tolve	39918958	Cell Rep	IHC

Storage


Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol, pH7.3
Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 66394-1-Ig (Calbindin-D28k antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.




Immunofluorescent analysis of (4% PFA) fixed paraffin-embedded mouse cerebellum tissue using Calbindin-D28k antibody (66394-1-Ig, Clone: 1F8B9) at dilution of 1:400 and Multi-rAb CoraLite® Plus 488-Goat Anti-Mouse Recombinant Secondary Antibody (H+L) (RGAM002). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffin-embedded rat cerebellum tissue slide using 66394-1-Ig (Calbindin-D28k antibody) at dilution of 1:16000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded rat cerebellum tissue slide using 66394-1-Ig (Calbindin-D28k antibody) at dilution of 1:16000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (4% PFA) fixed human kidney tissue using Calbindin-D28k antibody (66394-1-Ig, Clone: 1F8B9) at dilution of 1:300 and CoraLite® 594-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L), Podocalyxin antibody(18150-1-AP, green).



Immunofluorescent analysis of (4% PFA) fixed frozen OCT-embedded mouse cerebellum tissue using 66394-1-Ig (Calbindin-D28k antibody) at dilution of 1:400 and CoraLite488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).