### For Research Use Only

# TGN46 Monoclonal antibody

Catalog Number:66477-1-lg 4 Publications



**Basic Information** 

Catalog Number: GenBank Accession Number:

66477-1-lg BC028219
Size: GenelD (NCBI):

150ul , Concentration: 1000 ug/ml by 10618
Nanodrop; UNIPROT ID:
Source: 043493

Isotype: trans-golgi network protein 2

IgG1 Calculated MW:
Immunogen Catalog Number: 447 aa, 47 kDa
AG4470 Observed MW:

90 kDa

Full Name:

Purification Method: Protein G purification

CloneNo.: 1F6D5

IHC 1:150-1:600

Recommended Dilutions: WB 1:2000-1:10000

**Applications** 

Tested Applications: WB, IHC, ELISA

Mouse

Species Specificity: human, mouse, rat, pig

Cited Species: human, mouse, pig

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 **Positive Controls:** 

WB: A549 cells, HeLa cells, LNCaP cells, HepG2 cells, LO2 cells, SMMC-7721 cells, human colostrum tissue,

pig liver tissue

IHC : human breast cancer tissue, human liver cancer

tissue

# **Background Information**

TGN46 (TGOLN2), the human homologue of rat Tgn38, is a transmembrane glycoprotein predominantly localized to the TGN (trans-Golgi network). TGN is a major secretory pathway sorting station for proteins and lipids. TGN46 may be involved in regulating membrane traffic to and from TGN. Alternatively spliced transcript variants encode different TGN46 isoforms. TGN46 has an apparent molecular mass of 100-150 kDa, suggesting extensive O- and N-glycosylations.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Erika Jang	38989581	Arterioscler Thromb Vasc Biol	
Zhuoxuan Jia	38904008	Int J Biol Sci	
Haoyu Zhao	38230579	J Cell Physiol	

Storage

Storage:

Store at -20°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol, pH7.3  $\,$ 


Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


## **Selected Validation Data**




HeLa cells were subjected to SDS PAGE followed by western blot with 66477-1-1g (TGN46 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours



Various lysates were subjected to SDS PAGE followed by western blot with 66477-1-1g (TGN46 antibody) at dilution of 1:5000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 66477-1-1g (TGN46 antibody) at dilution of 1:300 (under 10x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 66477-1-Ig (TGN46 antibody) at dilution of 1:300 (under 40x lens. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).