

For Research Use Only

TGFR2 Monoclonal antibody

Catalog Number: 66636-1-Ig

Featured Product

45 Publications



Basic Information

Catalog Number:

66636-1-Ig

Size:

150ul, Concentration: 1000 ug/ml by Nanodrop;

Source:

Mouse

Isotype:

IgG1

Immunogen Catalog Number:

AG25773

GenBank Accession Number:

BC040499

GeneID (NCBI):

7048

UNIPROT ID:

P37173

Full Name:

transforming growth factor, beta receptor II (70/80kDa)

Calculated MW:

65 kDa

Observed MW:

65-80 kDa

Purification Method:

Protein A purification

CloneNo.:

2D5H7

Recommended Dilutions:

WB 1:5000-1:20000

IHC 1:250-1:1000

Applications

Tested Applications:

WB, IHC, ELISA

Cited Applications:

WB, IHC, IF, IP, CoIP

Species Specificity:

Human, Mouse, Rat

Cited Species:

human, mouse, rat, goat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB : A549 cells, HEK-293T cells, U2OS cells, THP-1 cells, HSC-T6 cells, NIH/3T3 cells, NCCIT cells, L02 cells, K-562 cells, HepG2 cells

IHC : human breast cancer tissue,

Background Information

TGF beta Receptor II (TGFR2) is a member of the transforming growth factor- β (TGF- β) superfamily, which are critical regulators of cell proliferation and differentiation, developmental patterning and morphogenesis, and disease pathogenesis (PMID: 10974075). TGFR2 result in both SMAD4-dependent constraint of proliferation and SMAD4-independent activation of apoptosis (PMID: 29396446). It has some isoforms with the molecular weight of 70-80 kDa and ~90 kDa after glycosylated.

Notable Publications

Author	Pubmed ID	Journal	Application
Xiaoman Zhu	36096985	Cell Death Dis	WB
Dai-Fei Shen	33758354	Acta Pharmacol Sin	WB, IHC
Xiaoping Liu	35313911	Reprod Biol Endocrinol	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

*** 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data




Various lysates were subjected to SDS PAGE followed by western blot with 66636-1-Ig (TGFBR2 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated Alpha Tubulin Monoclonal antibody (HRP-66031) as loading control.



WB result of TGFBR2 antibody (66636-1-Ig; 1:30000; incubated at room temperature for 1.5 hours) with sh-Control and sh-TGFBR2 transfected HEK-293T cells.



Immunohistochemical analysis of paraffin-embedded human breast cancer tissue slide using 66636-1-Ig (TGFBR2 antibody) at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human breast cancer tissue slide using 66636-1-Ig (TGFBR2 antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).