## For Research Use Only

# TGFBR2 Monoclonal antibody

Catalog Number:66636-1-lg Featured Product

44 Publications



**Basic Information** 

Catalog Number: GenBank Accession Number:

66636-1-lg BC040499 GeneID (NCBI): Size:

150ul, Concentration: 1000 ug/ml by 7048 Nanodrop: **UNIPROT ID:** P37173 Mouse Full Name:

Isotype: transforming growth factor, beta

lgG1 receptor II (70/80kDa)

Immunogen Catalog Number: Calculated MW: 65 kDa AG25773

> Observed MW: 65-80 kDa

**Applications** 

**Tested Applications:** 

WB, IHC, ELISA **Cited Applications:** WB, IHC, IF, IP, CoIP Species Specificity:

Human, Mouse, Rat **Cited Species:** 

human, mouse, rat, goat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate

buffer pH 6.0

**Purification Method:** 

Protein A purification

CloneNo.: 2D5H7

Recommended Dilutions:

WB 1:5000-1:20000 IHC 1:250-1:1000

Positive Controls:

WB: A549 cells, HEK-293T cells, U2OS cells, THP-1 cells, HSC-T6 cells, NIH/3T3 cells, NCCIT cells, LO2

cells, K-562 cells, HepG2 cells IHC: human breast cancer tissue,

# **Background Information**

TGF beta Receptor II (TGFBR2) is a member of the transforming growth factor- $\beta$  (TGF- $\beta$ ) superfamily, which are critical regulators of cell proliferation and differentiation, developmental patterning and morphogenesis, and disease pathogenesis (PMID: 10974075). TGFBR2 result in both SMAD4-dependent constraint of proliferation and SMAD4-independent activation of apoptosis (PMID: 29396446). It has some isoforms with the molecular weight of 70-80 kDa and ~90 kDa after glycosylated.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Xiaoman Zhu	36096985	Cell Death Dis	WB
Dai-Fei Shen	33758354	Acta Pharmacol Sin	WB,IHC
Xiaoping Liu	35313911	Reprod Biol Endocrinol	WB

Storage

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.

Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


For technical support and original validation data for this product please contact:

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.

## **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 66636-1-1g (TGFBR2 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated Alpha Tubulin Monoclonal antibody (HRP-66031) as loading control.



WB result of TGFBR2 antibody (66636-1-lg; 1:30000; incubated at room temperature for 1.5 hours) with sh-Control and sh-TGFBR2 transfected HEK-293T cells.



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 66636-1-1g (TGFBR2 antibody) at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 66636-1-1g (TGFBR2 antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).