#### For Research Use Only

# FANCL Monoclonal antibody

Catalog Number:66639-1-lg Featured Product

4 Publications



**Purification Method:** 

Protein A purification

Recommended Dilutions:

WB 1:1000-1:3000

IF/ICC 1:400-1:1600

CloneNo.:

6E2B6

**Basic Information** 

Catalog Number: GenBank Accession Number: BC054517

66639-1-lg GeneID (NCBI): Size: 150ul , Concentration: 3200 ug/ml by  $\,$  55120

Nanodrop and 2000 ug/ml by Bradford<sub>UNIPROT ID:</sub> method using BSA as the standard; Q9NW38

Source: Full Name:

Mouse Fanconi anemia, complementation

Isotype: group L

IgG2a Calculated MW: Immunogen Catalog Number: 43 kDa

AG6192 Observed MW: 41-43 kDa

**Applications** 

**Tested Applications:** WB, IF/ICC, ELISA

Cited Applications:

Species Specificity:

Human Cited Species: human, mouse Positive Controls:

WB: HeLa cells, HEK-293 cells

IF/ICC: HeLa cells,

## **Background Information**

Fanconi anemia (FA) is a hereditary bone marrow failure syndrome associated with developmental defects and cancer predisposition. The FA nuclear core complex consists of FANCA, B, C, E, F, G, L, and M. FANCL is a RING-type E3 ubiquitin ligase that monoubiquitinates FANCD2 and FANCI, a key functional role facilitated by other members of the nuclear core complex (PMID: 23783032). FANCL plays an important role in the repair of cisplatin-induced DNA damage (PMID: 26385482) and participates directly in support of stem cell function (PMID: 23783032). FANCL can be detected as 40-43 kDa (full-length) and ~28 kDa.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Xinlin Xu	34117478	Nat Struct Mol Biol	WB
Wei Liu	39117659	Nat Commun	WB
Wendy Leung	38060446	Cell Rep	WB

Storage


Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

\*\*\* 20ul sizes contain 0.1% BSA


### Selected Validation Data



HeLa cells and HEK-293 cells were subjected to SDS PAGE followed by western blot with 66639-1-1g (FANCL antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.



WB result of FANCL antibody (66639-1-1g; 1:1000; incubated at room temperature for 1.5 hours) with sh-Control and sh-FANCL transfected HEK-293 cells.



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using FANCL antibody (66639-1-lg, Clone: 6E2B6) at dilution of 1:800 and CoraLite®488-Conjugated Goat Anti-Mouse IgG(H+L).