For Research Use Only

## Placental lactogen Monoclonal antibody, PBS Önly

Catalog Number:66728-1-PBS



**Basic Information** 

Catalog Number:

GenBank Accession Number:

**Purification Method:** 

66728-1-PBS

GeneID (NCBI):

Protein A purification

BC022044

CloneNo.: 1D11E4

100ug, Concentration: 1mg/ml by Nanodrop:

**UNIPROT ID:** 

Mouse

P01243 Full Name:

Isotype:

chorionic somatomammotropin

IgG3

hormone 2

Immunogen Catalog Number: AG9412

Calculated MW:

217 aa, 25 kDa

Observed MW: 25 kDa

**Applications** 

**Tested Applications:** 

WB, IHC, Indirect ELISA

Species Specificity:

## **Background Information**

The human growth hormone (GH) locus is comprised by two GH (GH1 and GH2) genes and three chorionic somatomammotropin (CSH1, CSH2 and CSH-L) genes. Placental lactogens (CSH1, CSH2) are produced in the mammalian placenta and are similar in structure and function to growth hormones. Together, placental lactogens and growth factors play an essential role to assure successful lactation after pregnancy. Placental lactogens also modify the metabolic state of the mother during pregnancy to supply energy to the fetus. Both CSH1 and CSH2 can be detected by this antibody.

Storage


Storage: Store at -80°C.

Storage Buffer: PBS Only


## **Selected Validation Data**



human placenta tissue were subjected to SDS PAGE followed by western blot with 66728-1-lg (Placental lactogen antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours. This data was developed using the same antibody clone with 66728-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human placenta tissue slide using 66728-1-Ig (Placental lactogen antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66728-1-PBS in a different storage buffer formulation.



Immunohistochemical analysis of paraffinembedded human placenta tissue slide using 66728-1-Ig (Placental lactogen antibody) at dilution of 1:1000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). This data was developed using the same antibody clone with 66728-1-PBS in a different storage buffer formulation.