For Research Use Only

YTHDF1 Monoclonal antibody

Catalog Number:66745-1-lg Featured Product

13 Publications

proteintech Antibodies | ELISA kits | Proteins www.ptglab.com


Basic Information	Catalog Number: 66745-1-lg	GenBank Accession Number: BC050284		Purification Method: Protoin Convitication	
	Size:	GenelD (NCBI):		Protein G purification CloneNo.:	
		ul , Concentration: 1993 ug/ml by 54915 3A2H12			
	Nanodrop and 1000 ug/ml by Bradford _{UNIPROT ID:} method using BSA as the standard; Q9BYJ9			Recommended Dilutions: WB 1:1000-1:4000	
	Source: Mouse	Full Name:	mily, member 1	IP 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate IHC 1:1000-1:4000	
	Isotype: IgG1 Immunogen Catalog Number: AG11633	Calculated MW 559 aa, 61 kDa	-		
		Observed MW: 60 kDa			
Applications	Tested Applications:	Positive Controls:			
	WB, IHC, IP, ELISA Cited Applications: WB, IHC, IF, CoIP, RIP			93 cells, HepG2 cells, HeLa cells, Jurkat 2 cells, HSC-T6 cells, NIH/3T3 cellls	
	Species Specificity:		IP : Jurkat cells, IHC : human colon cancer tissue, human breast cancer tissue, mouse testis tissue, rat testis tissue		
	human, mouse, rat				
	Cited Species: human, mouse, rat, pig				
	TE buffer pH 9.0; (*) Alterna retrieval may be performed buffer pH 6.0				
Background Information	YTHDF1, also named as YTH domain-containing family protein 1 or C20orf21, is a 559 amino acid protein, which localizes in the cytoplasm. YTHDF1 specifically recognizes and binds N6-methyladenosine (m6A)-containing mRNAs, and promotes mRNA translation efficiency. M6A is a modification present at internal sites of mRNAs and some non-coding RNAs and plays a role in the efficiency of mRNA splicing, processing and stability. YTHDF1 acts as a regulator of mRNA translation efficiency: promotes ribosome loading to m6A-containing mRNAs and interacts wit translation initiation factors eIF3 (EIF3A or EIF3B) to facilitate translation initiation. YTHDF1 exists two isoform and calculated molecular weight of isoforms are 61 kDa and 21 kDa.				
Notable Publications	Author P	ubmed ID	Journal	Application	
			Apoptosis	WB	
			Nucleic Acids Res	WB,CoIP	
			Int J Mol Sci	WB,IF	
Storage	Storage: Store at -20°C. Stable for one year Storage Buffer: PBS with 0.02% sodium azide and	50% glycerol pH 7.	3.		
Storage *** 20ul sizes contain 0.1% BSA	Storage: Store at -20°C. Stable for one year Storage Buffer:	50% glycerol pH 7.	3.		

T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)


E: proteintech@ptglab.com W: ptglab.com

Group brand and is not available to purchase from any other manufacturer.

Selected Validation Data




WB result of YTHDF1 antibody (66745-1-lg; 1:2000; incubated at room temperature for 1.5 hours) with sh-Control and sh-YTHDF1 transfected HepG2 cells.




Various lysates were subjected to SDS PAGE followed by western blot with 66745-1-lg (YTHDF1 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.




Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 66745-1-1g (YTHDF1 antibody) at dilution of 1:2000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 66745-1-1g (YTHDF1 antibody) at dilution of 1:2000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded human breast cancer tissue slide using 66745-1-1g (YTHDF 1 antibody) at dilution of 1:2000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded mouse testis tissue slide using 66745-1-Ig (YTHDF 1 antibody) at dilution of 1:2000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).




Immunohistochemical analysis of paraffinembedded human lung cancer tissue slide using 66745-1-1g (YTHDF1 antibody) at dilution of 1:2000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded rat testis tissue slide using 66745-1-lg (YTHDF1 antibody) at dilution of 1:2000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



IP result of anti-YTHDF1 (IP:66745-1-Ig, 4ug; Detection:66745-1-Ig 1:2000) with Jurkat cells lysate 2000 ug.



Immunohistochemical analysis of paraffinembedded human colon cancer tissue slide using 66745-1-Ig (YTHDF1 antibody) at dilution of 1:4000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).