

For Research Use Only

GIMAP5 Monoclonal antibody

Catalog Number: 66943-1-Ig



Basic Information

Catalog Number: 66943-1-Ig	GenBank Accession Number: BC011732	Purification Method: Protein G purification
Size: 150ul , Concentration: 2100 µg/ml by Nanodrop and 1000 µg/ml by Bradford method using BSA as the standard;	GeneID (NCBI): 55340	CloneNo.: 1B6F2
Source: Mouse	Full Name: GTPase, IMAP family member 5	Recommended Dilutions: WB 1:1000-1:6000 IHC 1:250-1:1000
Isotype: IgG1	Calculated MW: 35 kDa	
Immunogen Catalog Number: AG18045	Observed MW: 30-35 kDa	

Applications

Tested Applications: IHC, WB, ELISA	Positive Controls:
Species Specificity: Human	WB : Jurkat cells, IHC : human lymphoma tissue,
Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0	

Background Information

GIMAP5 gene encodes immunity-associated nucleotide 5 protein (IAN5) belonging to GTPase immune-associated protein subfamily. GIMAP5 is widely expressed with high levels in lymph node and spleen. The loss of Gimap5 (GTPase of the 5) gene function is the underlying cause of lymphopenia and autoimmune diabetes in the BioBreeding (BB) rat. Mouse gimap5 is necessary for the survival of peripheral T cells, NK/NKT-cell development, hematopoietic progenitor cell survival and the maintenance of normal liver function. GIMAP5 may regulate T lymphocyte survival by mechanisms that operate upstream of mitochondria.

Storage


Storage:
Store at -20°C. Stable for one year after shipment.
Storage Buffer:
PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
Aliquoting is unnecessary for -20°C storage

***** 20ul sizes contain 0.1% BSA**

For technical support and original validation data for this product please contact:
T: 1 (888) 4PTGLAB (1-888-478-4522) (toll free in USA), or 1(312) 455-8498 (outside USA)
E: proteintech@ptglab.com
W: ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


Selected Validation Data



Jurkat cells were subjected to SDS PAGE followed by western blot with 66943-1-Ig (GMAP5 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffin-embedded human lymphoma tissue slide using 66943-1-Ig (GMAP5 antibody) at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffin-embedded human lymphoma tissue slide using 66943-1-Ig (GMAP5 antibody) at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).